

HOSE 1

Prover Starting Mass	0.0000					
Prover 1st Batch	10.1000					
Dispenser 1st Batch	10.085	0.15 %				
Prover 2nd Batch	20.3000					
Dispenser 2nd Batch	10.166	0.33 %				
Prover 3rd Batch	30.5900					
Dispenser 3rd Batch	10.253	0.36 %				
Prover 4th Batch	0.000					
Dispenser 4th Batch	0.000	100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	10.1000	10.1000	10.100	10.085	0.15	1.00
	20.3000	10.2000	10.200	10.166	0.33	
	30.5900	10.2900	10.290	10.253	0.36	
						0.28%

HOSE 2

Prover Starting Mass	0.0000					
Prover 1st Batch	9.8300					
Dispenser 1st Batch	9.805	0.25 %				
Prover 2nd Batch	19.6500					
Dispenser 2nd Batch	9.770	0.51 %				
Prover 3rd Batch	29.4500					
Dispenser 3rd Batch	9.771	0.30 %				
Prover 4th Batch						
Dispenser 4th Batch		100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	9.8300	9.8300	9.830	9.805	0.25	1.00
	19.6500	9.8200	9.820	9.770	0.51	
	29.4500	9.8000	9.800	9.771	0.30	
						0.35%

Tulsa Gas Technologies, Inc.

Calibration Report

4809 South 101st East Ave.
Tulsa, OK 74146
Phone 918-665-2641 Fax 918-665-2657

DATE: July 20, 2020
Test #
Test Date: July 16, 2020
Tested By: Jerry Kelley/C.R. Kendall
Test Type Acceptance

Test Site:
Tulsa Gas Technologies, Inc.
4809 South 101st East Ave.
Tulsa, OK 74146

CONTACT: Jerry Kelley
PHONE: 918 665 2641

Work Order Number:
SCG112519

Customer Name:
Tulsa Gas Technologies
4809 South 101st East Ave.
Tulsa, OK. 74146

Dispenser Model Number:
T-7203-8CNG50

Dispenser Serial Number:
20041287

Eprom Number:
1.04.13WRT

	SCALE	DISPENSER	PERCENT of ERROR
HOSE 1	MASS/GGE	GGE	
	10.10	10.085	0.15%
	10.20	10.166	0.33%
	10.29	10.253	0.36%
HOSE 2	9.83	9.805	0.25%
	9.82	9.770	0.51%
	9.80	9.771	0.30%

EXPECTABLE TOLERANCE IS + - 2% FOR EACH BATCH
AND + - .8% BETWEEN BATCHES PER EACH HOSE