

# HOSE 1

Prover Starting Mass	0.0000					
Prover 1st Batch	10.8600					
Dispenser 1st Batch	10.756	0.96 %				
Prover 2nd Batch	21.8300					
Dispenser 2nd Batch	10.990	-0.18 %				
Prover 3rd Batch	33.1500					
Dispenser 3rd Batch	11.183	1.21 %				
Prover 4th Batch	0.000					
Dispenser 4th Batch	0.000	100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	10.8600	10.8600	10.860	10.756	0.96	1.01
	21.8300	10.9700	10.970	10.990	-0.18	
	33.1500	11.3200	11.320	11.183	1.21	
						<b>0.66%</b>

# HOSE 2

Prover Starting Mass	0.0000					
Prover 1st Batch	10.4660					
Dispenser 1st Batch	10.480	-0.13 %				
Prover 2nd Batch	21.2960					
Dispenser 2nd Batch	10.740	0.83 %				
Prover 3rd Batch	31.9260					
Dispenser 3rd Batch	10.604	0.24 %				
Prover 4th Batch						
Dispenser 4th Batch		100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	10.4660	10.4660	10.466	10.480	-0.13	1.00
	21.2960	10.8300	10.830	10.740	0.83	
	31.9260	10.6300	10.630	10.604	0.24	
						<b>0.31%</b>

# Tulsa Gas Technologies, Inc.

# Calibration Report

4809 South 101st East Ave.  
Tulsa, OK 74146  
Phone 918-665-2641 Fax 918-665-2657

**DATE:** August 13, 2020  
**Test #** 1  
**Test Date:** August 4, 2020  
**Tested By:** Garrett Bias/C.R. Kendall  
**Test Type** Acceptance

**Test Site:**  
Tulsa Gas Technologies, Inc.  
4809 South 101st East Ave.  
Tulsa, OK 74146

**CONTACT:** Jerry Kelley  
**PHONE:** 918 665 2641

**Work Order Number:**  
PNGC031920

**Customer Name:**  
Tulsa Gas Technologies  
4809 South 101st East Ave.  
Tulsa, OK. 74146

**Dispenser Model Number:**  
T-7203-8CNG50W

**Dispenser Serial Number:**  
20041288

**Eprom Number:**  
1.04.13WRT

	SCALE	DISPENSER	PERCENT of ERROR
<b>HOSE 1</b>	<b>MASS/GGE</b>	<b>GGE</b>	
	10.86	10.756	0.96%
	10.97	10.990	-0.18%
	11.32	11.183	1.21%
<b>HOSE 2</b>	10.47	10.480	-0.13%
	10.83	10.740	0.83%
	10.63	10.604	0.24%

EXPECTABLE TOLERANCE IS + - 2% FOR EACH BATCH  
AND + - .8% BETWEEN BATCHES PER EACH HOSE