

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number S/N 20041288 PEOPLES NATURAL GAS..manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: *C. R. Hendell*

TITLE: ASSEMBLY

DATE: 6/19/2020

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N 20041288
 Customer Name PEOPLES NATURAL GAS
 Customer PO 700004495
 Date Required 6/19/2020


ASSEMBLY/CERTIFICATION SHEET

| | | SIGN | DATE |
|----|---|-----------|------------------|
| 1 | <input checked="" type="checkbox"/> Review shop work order versus customer print and history | <u>CK</u> | <u>6/19/2020</u> |
| 2 | <input checked="" type="checkbox"/> Component part numbers: _____ Pack dates and/or QC codes _____ 5218005059 | <u>CK</u> | <u>6/19/2020</u> |
| 3 | <input checked="" type="checkbox"/> ID band number _____ 5CNG6/520N4-0506/0106-68/24-96" | <u>CK</u> | <u>6/19/2020</u> |
| 4 | <input checked="" type="checkbox"/> Hose Cut Length _____ 96" | <u>CK</u> | <u>6/19/2020</u> |
| 5 | ___ Pre-expansion of hose (if required) Size _____ Remarks: _____ | | |
| 6 | <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth | <u>CK</u> | <u>6/19/2020</u> |
| 7 | ___ Add special accessories _____ Remarks: _____ | | |
| 8 | <input checked="" type="checkbox"/> Apply danger tag and ID band | <u>CK</u> | <u>6/19/2020</u> |
| 9 | <input checked="" type="checkbox"/> Install bend restrictors Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 10 | <input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 11 | ___ Set offset angle and/or orientation Remarks: _____ | | |
| 12 | <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 _____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ 1/4) 80C-PO4H _____ 1/8) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H | <u>CK</u> | <u>6/19/2020</u> |
| 13 | ___ Add special accessories after crimping/swaging _____ | | |
| 14 | ___ Perform and record burst test results, if applicable Remarks: _____ | | |
| 15 | ___ Air test, if applicable Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____ | | |
| 16 | <input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> /Fail (Circle One) Remarks: <u>Revised Pressure test</u> | <u>CK</u> | <u>6/19/2020</u> |
| 17 | <input checked="" type="checkbox"/> Flush method water, and then air | <u>CK</u> | <u>6/19/2020</u> |
| 18 | <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200 Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.03 0.03 | <u>CK</u> | <u>6/19/2020</u> |
| 19 | <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-55 .580+- .05 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22 *****100% VISUAL INSPECT FOR THE FOLLOWING***** <input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly; <input checked="" type="checkbox"/> Presence of threads | <u>CK</u> | <u>6/19/2020</u> |
| 20 | <input checked="" type="checkbox"/> Cap and package hose | <u>CK</u> | <u>6/19/2020</u> |
| 21 | <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back) | <u>CK</u> | <u>6/19/2020</u> |

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 1 55 SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
 - 01 NPT MALE
 - 02 NPT FEMALE
 - 03 JIC MALE
 - 04 SAE 45 MALE
 - 05 SAE O-RING STRAIGHT THREAD
 - 06 JIC FEMALE SWIVEL
 - 07 FEMALE PIPE SWIVEL
- 8 FITTING SIZE
 - 4 1/4"
 - 6 3/8"
 - 8 1/2"
 - 12 3/4"



- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 55 SERIES
- HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

- 6 FITTING TYPE
 - 01 NPT MALE
 - 02 NPT FEMALE
 - 03 JIC MALE
 - 04 SAE 45 MALE
 - 05 SAE O-RING STRAIGHT THREAD
 - 06 JIC FEMALE SWIVEL
 - 07 FEMALE PIPE SWIVEL
- 10 FITTING SIZE
 - 2 1/8"
 - 4 1/4"
 - 6 3/8"

WORK ORDER # *PNGG 031920*

5CNG11520N14-050610106-68/24-96

5/n-20041288

FILL HOSE

THE SAE GROUP, INC.
1000 EAST 40TH STREET
TULSA, OK 74114
OUR WORK FAX 918 988-2067
OUR WORK PHONE 918 988-2067

DATE 03/27/07
DESIGNED BY C. S. WELLS
DRAWN BY C. S. WELLS

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number S/N 20041288 PEOPLES NATURAL GAS..manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Hendrick

TITLE: ASSEMBLY

DATE: 6/19/2020

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N 20041288
 Customer Name PEOPLES NATURAL GAS
 Customer PO 700004495
 Date Required 6/19/2020

ASSEMBLY/CERTIFICATION SHEET

| | | SIGN | DATE |
|----|---|-----------|------------------|
| 1 | <input checked="" type="checkbox"/> Review shop work order versus customer print and history | <u>CK</u> | <u>6/19/2020</u> |
| 2 | <input checked="" type="checkbox"/> Component part numbers: _____ Pack dates and/or QC codes _____ <u>5219005025</u> | <u>CK</u> | <u>6/19/2020</u> |
| 3 | <input checked="" type="checkbox"/> ID band number _____ <u>5CNG6/520N4-0506/0106-68/24-24"</u> | <u>CK</u> | <u>6/19/2020</u> |
| 4 | <input checked="" type="checkbox"/> Hose Cut Length _____ <u>24"</u> | <u>CK</u> | <u>6/19/2020</u> |
| 5 | ___ Pre-expansion of hose (if required) Size _____ Remarks: _____ | | |
| 6 | <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth | <u>CK</u> | <u>6/19/2020</u> |
| 7 | ___ Add special accessories _____ Remarks: _____ | | |
| 8 | <input checked="" type="checkbox"/> Apply danger tag and ID band | <u>CK</u> | <u>6/19/2020</u> |
| 9 | <input checked="" type="checkbox"/> Install bend restrictors Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 10 | <input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 11 | ___ Set offset angle and/or orientation Remarks: _____ | | |
| 12 | <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 _____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ 1/4) 80C-PO4H _____ 1/8) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H | <u>CK</u> | <u>6/19/2020</u> |
| 13 | ___ Add special accessories after crimping/swaging _____ | | |
| 14 | ___ Perform and record burst test results, if applicable Remarks: _____ | | |
| 15 | ___ Air test, if applicable Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____ | | |
| 16 | <input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> /Fail (Circle One) Remarks: <u>Passed Pressure test</u> | <u>CK</u> | <u>6/19/2020</u> |
| 17 | <input checked="" type="checkbox"/> Flush method water, and then air | <u>CK</u> | <u>6/19/2020</u> |
| 18 | <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ <u>Megger Mit200</u> Hose resistance _____ <u>0</u> (-) Electrode resistance _____ <u>0.01</u> 0.01 | <u>CK</u> | <u>6/19/2020</u> |
| 19 | <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: ___ <input checked="" type="checkbox"/> Correct hose; ___ <input checked="" type="checkbox"/> Correct fittings; ___ <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ <u>5CNG-4-55 .580+-.05</u> _____ <u>5CNG-4-58 .785/.805</u> _____ <u>5CNG-8-58 .900/.920</u> <input checked="" type="checkbox"/> _____ <u>5CNG-6-55 .675/.695</u> _____ <u>5CNG-12-58 1.20/1.22</u> *****100% VISUAL INSPECT FOR THE FOLLOWING***** ___ <input checked="" type="checkbox"/> Hose fittings crimped; ___ <input checked="" type="checkbox"/> Air passes through assembly; ___ <input checked="" type="checkbox"/> Presence of threads | <u>CK</u> | <u>6/19/2020</u> |
| 20 | <input checked="" type="checkbox"/> Cap and package hose | <u>CK</u> | <u>6/19/2020</u> |
| 21 | <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back) | <u>CK</u> | <u>6/19/2020</u> |


CF1000

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 1 55 SERIES
- 58 HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 8 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"



- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 55 SERIES
- HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

- 6 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 10 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

STANDARD 3" }
 SHEREX 5/8" }

WORK ORDER # 519-41258
 PNGC031920

5CNG 1 2 3 4 5 6 7 8 9 10 11
 6/520N 4-05 06 / 01 06 - 68 / 24 - 241'

FILL HOSE

DATE 03/27/97
 DESIGNED BY C. SEWELL
 DRAWN BY J.C.C.

HYDRA-CORP. HYDRA-CORP., INC.
 1001 EAST ARLO STREET
 MUSKOGEE, OK 74458
 918 685 2641 FAX 918 685 2657
 CHECKED BY

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number S/N 20041288 PEOPLES NATURAL GAS..manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: *C. R. Kesseler*

TITLE: ASSEMBLY

DATE: 6/19/2020

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N 20041288
 Customer Name PEOPLES NATURAL GAS
 Customer PO 700004495
 Date Required 6/19/2020

ASSEMBLY/CERTIFICATION SHEET

| | | SIGN | DATE |
|----|--|-----------|------------------|
| 1 | <input checked="" type="checkbox"/> Review shop work order versus customer print and history | <u>CK</u> | <u>6/19/2020</u> |
| 2 | <input checked="" type="checkbox"/> Component part numbers: _____ Pack dates and/or QC codes _____ 5218005058 | <u>CK</u> | <u>6/19/2020</u> |
| 3 | <input checked="" type="checkbox"/> ID band number _____ 5CNG6/520N4-0506/0106-68/24-96" | <u>CK</u> | <u>6/19/2020</u> |
| 4 | <input checked="" type="checkbox"/> Hose Cut Length _____ 96" | <u>CK</u> | <u>6/19/2020</u> |
| 5 | ___ Pre-expansion of hose (if required) Size _____ Remarks: _____ | | |
| 6 | <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth | <u>CK</u> | <u>6/19/2020</u> |
| 7 | ___ Add special accessories _____ Remarks: _____ | | |
| 8 | <input checked="" type="checkbox"/> Apply danger tag and ID band | <u>CK</u> | <u>6/19/2020</u> |
| 9 | <input checked="" type="checkbox"/> Install bend restrictors Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 10 | <input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 11 | ___ Set offset angle and/or orientation Remarks: _____ | | |
| 12 | <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 _____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ 1/4) 80C-PO4H _____ 1/8) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H | <u>CK</u> | <u>6/19/2020</u> |
| 13 | ___ Add special accessories after crimping/swaging _____ | | |
| 14 | ___ Perform and record burst test results, if applicable Remarks: _____ | | |
| 15 | ___ Air test, if applicable Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____ | | |
| 16 | <input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; Pass/Fail (Circle One) Remarks: <u>Passed Pressure Test</u> | <u>CK</u> | <u>6/19/2020</u> |
| 17 | <input checked="" type="checkbox"/> Flush method water, and then air | <u>CK</u> | <u>6/19/2020</u> |
| 18 | <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200 Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.03 0.03 | <u>CK</u> | <u>6/19/2020</u> |
| 19 | <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22 *****100% VISUAL INSPECT FOR THE FOLLOWING***** <input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly; <input checked="" type="checkbox"/> Presence of threads | <u>CK</u> | <u>6/19/2020</u> |
| 20 | <input checked="" type="checkbox"/> Cap and package hose | <u>CK</u> | <u>6/19/2020</u> |
| 21 | <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back) | <u>CK</u> | <u>6/19/2020</u> |

- 3 FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL

- 1 55 SERIES
 HOSE SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 10 5/8"
 12 3/4"


- 4 FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 8 FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"

BREAK-AWAY END

cut 99"
 96"

11 FILL HOSE LENGTH

FILL END



- 5 FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL

- 2 55 SERIES
 HOSE SIZE
 2 1/8"
 4 1/4"
 6 3/8"

- 6 FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 10 FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"

STANDARD 3"
 SHEREX 5/8"

5/n-20041288

WORK ORDER # PNGG 031920

5CNG 2/1520N 14-05 06/01 06-68/24-96

FILL HOSE

DATE 03/27/97
 DESIGNED BY G. SEWELL
 DRAWN BY

THE OKLAHOMA PIPE WORKS, INC.
 1011 EAST ANTI-TRUST
 TULSA, OK 74104
 OKLAHOMA FAX 918.466.2067
 CHECKED BY

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number S/N 20041288 PEOPLES NATURAL GAS..manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C.R. Kendall

TITLE: ASSEMBLY

DATE: 6/19/2020

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N 20041288
 Customer Name PEOPLES NATURAL GAS
 Customer PO 700004495
 Date Required 6/19/2020

ASSEMBLY/CERTIFICATION SHEET

| | | SIGN | DATE |
|----|--|-----------|------------------|
| 1 | <input checked="" type="checkbox"/> Review shop work order versus customer print and history | <u>CK</u> | <u>6/19/2020</u> |
| 2 | <input checked="" type="checkbox"/> Component part numbers: _____ Pack dates and/or QC codes _____ 5219005025 | <u>CK</u> | <u>6/19/2020</u> |
| 3 | <input checked="" type="checkbox"/> ID band number _____ 5CNG6/520N4-0506/0106-68/24-24" | <u>CK</u> | <u>6/19/2020</u> |
| 4 | <input checked="" type="checkbox"/> Hose Cut Length _____ 24" | <u>CK</u> | <u>6/19/2020</u> |
| 5 | ___ Pre-expansion of hose (if required) Size _____ Remarks: _____ | | |
| 6 | <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth | <u>CK</u> | <u>6/19/2020</u> |
| 7 | ___ Add special accessories _____ Remarks: _____ | | |
| 8 | <input checked="" type="checkbox"/> Apply danger tag and ID band | <u>CK</u> | <u>6/19/2020</u> |
| 9 | <input checked="" type="checkbox"/> Install bend restrictors _____ Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 10 | <input checked="" type="checkbox"/> Assemble fittings; check insertion depth _____ Remarks: _____ | <u>CK</u> | <u>6/19/2020</u> |
| 11 | ___ Set offset angle and/or orientation _____ Remarks: _____ | | |
| 12 | <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 _____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ 1/4) 80C-PO4H _____ 1/8) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H | <u>CK</u> | <u>6/19/2020</u> |
| 13 | ___ Add special accessories after crimping/swaging _____ | | |
| 14 | ___ Perform and record burst test results, if applicable _____ Remarks: _____ | | |
| 15 | ___ Air test, if applicable _____ Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____ | | |
| 16 | <input checked="" type="checkbox"/> Hydrostatic proof test _____ Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; Pass/Fail (Circle One) Remarks: _____ <u>Passed Pressure Test</u> | <u>CK</u> | <u>6/19/2020</u> |
| 17 | <input checked="" type="checkbox"/> Flush method water, and then air | <u>CK</u> | <u>6/19/2020</u> |
| 18 | <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200 Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.01 0.01 | <u>CK</u> | <u>6/19/2020</u> |
| 19 | <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> _____ 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22 *****100% VISUAL INSPECT FOR THE FOLLOWING***** <input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly; <input checked="" type="checkbox"/> Presence of threads | <u>CK</u> | <u>6/19/2020</u> |
| 20 | <input checked="" type="checkbox"/> Cap and package hose | <u>CK</u> | <u>6/19/2020</u> |
| 21 | <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back) | <u>CK</u> | <u>6/19/2020</u> |

CF1000

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL


- 1 55 SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 8 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY END

cut 26"
11 FILL HOSE LENGTH
24"



- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 55 SERIES
- HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

- 6 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 10 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # Pngc031920
5/17-41238

5CNG16/520N4-0506/0106-68/24-241

FILL HOSE

DATE 03/27/97
DESIGNED BY C. SEWELL
DRAWN BY C.C.C.

THE CALGARY PIPEWORK CENTER, INC.
11115 50th Street
Lethbridge, AB T1V 2E4
918 685 2941 FAX: 918 685 2947
CHECKED BY