

HOSE 1

Prover Starting Mass	0.0000					
Prover 1st Batch	10.6500					
Dispenser 1st Batch	10.589	0.57 %				
Prover 2nd Batch	21.3200					
Dispenser 2nd Batch	10.648	0.21 %				
Prover 3rd Batch	31.9700					
Dispenser 3rd Batch	10.565	0.80 %				
Prover 4th Batch	0.000					
Dispenser 4th Batch	0.000	100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	10.6500	10.6500	10.650	10.589	0.57	1.01
	21.3200	10.6700	10.670	10.648	0.21	
	31.9700	10.6500	10.650	10.565	0.80	
						0.53%

HOSE 2

Prover Starting Mass	0.0000					
Prover 1st Batch	11.2300					
Dispenser 1st Batch	11.209	0.19 %				
Prover 2nd Batch	22.5400					
Dispenser 2nd Batch	11.251	0.52 %				
Prover 3rd Batch	33.5600					
Dispenser 3rd Batch	10.980	0.36 %				
Prover 4th Batch						
Dispenser 4th Batch		100.00 %				
STARTING PROVER READING						
Lb/GGE	0.0000	SCALE	SCALE/GGE	GALLONS	PERCENT of ERROR	NEW GGE FACTOR
1	11.2300	11.2300	11.230	11.209	0.19	1.00
	22.5400	11.3100	11.310	11.251	0.52	
	33.5600	11.0200	11.020	10.980	0.36	
						0.36%

Tulsa Gas Technologies, Inc.

Calibration Report

4809 South 101st East Ave.
Tulsa, OK 74146
Phone 918-665-2641 Fax 918-665-2657

DATE: August 10, 2020
Test # 1
Test Date: July 30, 2020
Tested By: Garrett Bias/C.R. Kendall
Test Type Acceptance

Test Site:
Tulsa Gas Technologies, Inc.
4809 South 101st East Ave.
Tulsa, OK 74146

CONTACT: Jerry Kelley
PHONE: 918 665 2641

Work Order Number:
AOG032620

Customer Name:
Tulsa Gas Technologies
4809 South 101st East Ave.
Tulsa, OK. 74146

Dispenser Model Number:
T-7203-8CNG50W

Dispenser Serial Number:
20041289

Eprom Number:
1.04.13WRT

	SCALE	DISPENSER	PERCENT of ERROR
HOSE 1	MASS/GGE	GGE	
	10.65	10.589	0.57%
	10.67	10.648	0.21%
	10.65	10.565	0.80%
HOSE 2	11.23	11.209	0.19%
	11.31	11.251	0.52%
	11.02	10.980	0.36%

EXPECTABLE TOLERANCE IS + - 2% FOR EACH BATCH
AND + - .8% BETWEEN BATCHES PER EACH HOSE