

Cylinder Requalification Report

DOT/TC Registration # C019

FULLERTON HYDRO TEST

25318 S HWY 88

INOLA, OK 74036

Code Has Three Letters: 1st Letter: Visual Test, 2nd Letter: % Perm Exp Test, 3rd Letter: REE Test

Letter Code: P=Passed, F=Failed, N=Not Applicable, A=Aborted **Example:** PPP=Passed Visual, Passed % Prm, Passed REE

PCAL, FCAL used for passed, failed calibration verification test, respectively; **PASS/FAIL** used proof tests-no REE, no % perm criteria

Operator Signature:

Date Signed:

Supervisor Signature:

Date Signed:

6-19-25

I hereby certify that all the following tests were made under my supervision and in accordance with DOT/CTC regulations.

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percent	+* VE	VE Date Ref Ring	Disposition Remark
9	5/16/2025 13:27	DUSTIN PHILLIPS	2925304 TULSA GAS	9.25x51 CNG	TW 09/85	199 C5	3AA-3600 PSI	6000 6013	30	192.1 192.1	0.0 0.0			PPP
10	5/16/2025 15:28	DUSTIN PHILLIPS	2925944 TULSA GAS	9.25x51 CNG	TW 09/89	195 C5	3AA-3600 PSI	6000 6011	30	197.5 194.5	3.0 1.5			PPP
11	5/16/2025 15:38	DUSTIN PHILLIPS	TWC-043280 TULSA GAS	9.25x51 CNG	TW 08/93	229 C5	3AA-3600 PSI	6000 6015	30	203.5 201.5	2.0 0.9			PPP
12	5/16/2025 15:51	DUSTIN PHILLIPS	1201109Y TULSA GAS	9.25x51 CNG	CL 03/93	230 C5	3AA-3600 PSI	6000 6007	30	209.7 208.7	1.0 0.4			PPP
13	5/16/2025 16:01	DUSTIN PHILLIPS	1201090Y TULSA GAS	9.25x51 CNG	CL 03/93	230 C5	3AA-3600 PSI	6000 6016	30	210.9 209.9	1.0 0.4			PPP
14	5/16/2025 16:06	DUSTIN PHILLIPS	1062733Y TULSA GAS	9.25x51 CNG	CL 03/92	230 C5	3AA-3600 PSI	6000 6018	30	208.5 207.5	1.0 0.4			PPP
15	5/16/2025 16:18	DUSTIN PHILLIPS	1027335Y TULSA GAS	9.25x51 CNG	CL 11/91	230 C5	3AA-3600 PSI	6000 6015	30	206.5 206.5	0.0 0.0			PPP
16	5/16/2025 16:23	DUSTIN PHILLIPS	TWC-043287 TULSA GAS	9.25x51 CNG	TW 08/93	229 C5	3AA-3600 PSI	6000 6016	30	204.6 203.6	1.0 0.4			PPP
17	5/16/2025 16:37	DUSTIN PHILLIPS	2925434 TULSA GAS	9.25x51 CNG	TW 09/85	197 C5	3AA-3600 PSI	6000 6020	30	198.8 195.8	3.0 1.5			PPP
18	5/16/2025 16:41	DUSTIN PHILLIPS	1201094Y TULSA GAS	9.25x51 CNG	CL 03/93	230 C5	3AA-3600 PSI	6000 6017	30	210.7 208.7	2.0 0.9			PPP
19	5/16/2025 16:49	DUSTIN PHILLIPS	TWC-043277 TULSA GAS	9.25x51 CNG	TW 08/93	229 C5	3AA-3600 PSI	6000 6020	30	201.9 198.9	3.0 1.4			PPP
1	5/17/2025 8:23	DUSTIN PHILLIPS	TWC-122119 TULSA GAS	9.25x51 CNG	TW 06/94	230 C5	3AA-3600 PSI	6000 6016	30	200.6 199.6	1.0 0.5			PPP
2	5/17/2025 8:33	DUSTIN PHILLIPS	2926055 TULSA GAS	9.25x51 CNG	TW 09/85	192 C5	3AA-3600 PSI	6000 6011	30	195.4 194.4	1.0 0.5			PPF
3	5/17/2025 8:51	DUSTIN PHILLIPS	TWC-043228 TULSA GAS	9.25x51 CNG	TW 08*93	229 C5	3AA-3600 PSI	6000 6013	30	201.9 201.9	0.0 0.0			PPP
4	5/17/2025 8:59	DUSTIN PHILLIPS	TWC-043283 TULSA GAS	9.25x51 CNG	TW 08/93	229 C5	3AA-3600 PSI	6000 6021	30	201.8 200.8	1.0 0.5			PPP

Test Date(s): 5/16/2025 - 5/19/2025

5/17/2025 2:00:44PM

Page 1 of 1

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percen	+ * VE	VE Date Ref Ring	Disposition Remark
5	5/17/2025 9:04	DUSTIN PHILLIPS	1060391Y TULSA GAS	9.25x51 CNG	CL 03/92	230 C5	3AA-3600 PSI	6000 6023	30	211.6 210.6	1.0 0.4			PPP
6	5/17/2025 9:12	DUSTIN PHILLIPS	1027328Y TULSA GAS	9.25x51 CNG	CL 11-91	230 C5	3AA-3600 PSI	6000 5998	30	207.0 0.0	0.0 0.0			PAA Operator Abort
7	5/17/2025 9:15	DUSTIN PHILLIPS	1027328Y TULSA GAS	9.25x51 CNG	CL 11-91	230 C5	3AA-3600 PSI	6110 6114	30	210.6 209.6	1.0 0.4			PPP Retest at +100/1
8	5/17/2025 9:19	DUSTIN PHILLIPS	1201086Y TULSA GAS	9.25x51 CNG	CL 03/93	230 C5	3AA-3600 PSI	6000 6007	30	208.8 207.8	1.0 0.4			PPP
9	5/17/2025 9:43	DUSTIN PHILLIPS	T51-001843 TULSA GAS	9.25x51 CNG	TW 10/82	230 C5	3AA-3600 PSI	6000 6018	30	206.0 204.0	2.0 0.9			PPP
10	5/17/2025 9:49	DUSTIN PHILLIPS	TWC-043293 TULSA GAS	9.25x51 CNG	TW 08/93	230 C5	3AA-3600 PSI	6000 6019	30	195.5 194.5	1.0 0.5			PPP
11	5/17/2025 10:53	DUSTIN PHILLIPS	1027322Y TULSA GAS	9.25x51 METHANE	TW 11/91	230 C5	3AA-3600 PSI	6000 6025	30	210.0 210.0	0.0 0.0			PPP
12	5/17/2025 10:58	DUSTIN PHILLIPS	TWC-043236 TULSA GAS	9.25x51 METHANE	TW 08/93	229 C5	3AA-3600 PSI	6000 6016	30	193.9 193.9	0.0 0.0			PPP
13	5/17/2025 11:07	DUSTIN PHILLIPS	1060390Y TULSA GAS	9.25x51 METHANE	CL 03/92	230 C5	3AA-3600 PSI	6000 6010	30	199.4 198.4	1.0 0.5			PPP
14	5/17/2025 11:13	DUSTIN PHILLIPS	1027309Y TULSA GAS	9.25x51 METHANE	CL 11-91	230 C5	3AA-3600 PSI	6000 6016	30	211.5 209.5	2.0 0.9			PPP
15	5/17/2025 11:20	DUSTIN PHILLIPS	2925905 TULSA GAS	9.25x51 METHANE	CL 09/85	197 C5	3AA-3600 PSI	6000 6019	30	200.2 199.2	1.0 0.5			PPF
16	5/17/2025 11:25	DUSTIN PHILLIPS	1082183Y TULSA GAS	9.25x51 METHANE	CL 05-92	230 C5	3AA-3600 PSI	6000 6007	30	212.7 212.7	0.0 0.0			PPP
17	5/17/2025 11:30	DUSTIN PHILLIPS	937547 TULSA GAS	9.25x51 METHANE	CL 06-91	230 C5	3AA-3600 PSI	6000 6020	30	200.4 200.4	0.0 0.0			PPP
18	5/17/2025 11:35	DUSTIN PHILLIPS	1082184Y TULSA GAS	9.25x51 METHANE	CL 05*-92	230 C5	3AA-3600 PSI	6000 6018	30	210.4 208.4	2.0 0.9			PPP
19	5/17/2025 11:42	DUSTIN PHILLIPS	1060376Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6000 6006	30	211.4 210.4	1.0 0.4			PPP
20	5/17/2025 11:49	DUSTIN PHILLIPS	TWC-043227 TULSA GAS	9.25x51 METHANE	TW 08/93	229 C5	3AA-3600 PSI	6000 6006	30	191.9 190.9	1.0 0.5			PPP
1	5/19/2025 8:30	DUSTIN PHILLIPS	1062730Y TULSA GAS	5X14 METHANE	CL 03-92	30.6 C5	3000 PSI	5000 51	60	0.0 0.0	0.0 0.0			PAA Operator Abort
2	5/19/2025 8:33	DUSTIN PHILLIPS	1062730Y TULSA GAS	9.25x51 METHANE	CL 03/92	230 C5	3AA-3600 PSI	6000 6010	30	198.5 186.5	12.0 6.0			PPP
3	5/19/2025 8:39	DUSTIN PHILLIPS	1062738Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6000 6008	30	183.1 0.0	-23.0 0.0			PAA Neg perm exp
4	5/19/2025 8:48	DUSTIN PHILLIPS	1027300Y TULSA GAS	9.25x51 METHANE	CL 11-91	230 C5	3AA-3600 PSI	6000 0	30	0.0 0.0	0.0 0.0			PAA Operator Abort
5	5/19/2025 8:51	DUSTIN PHILLIPS	1062738Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6000 5518	30	169.3 0.0	0.0 0.0			PAA Operator Abort
5	5/19/2025 8:54	DUSTIN PHILLIPS	1062738Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6100 6117	30	207.2 207.2	0.0 0.0			PPP Retest at +100/1

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percen	+* VE	VE Date Ref Ring	Disposition Remark
7	5/19/2025 9:01	DUSTIN PHILLIPS	1027300Y TULSA GAS	9.25x51 METHANE	CL 11-91	230 C5	3AA-3600 PSI	6000 6018	30	210.4 209.4	1.0 0.4			PPP
8	5/19/2025 9:06	DUSTIN PHILLIPS	1082178Y TULSA GAS	9.25x51 METHANE	CL 05-92	230 C5	3AA-3600 PSI	6000 6023	30	209.4 206.4	3.0 1.4			PPP
9	5/19/2025 9:13	DUSTIN PHILLIPS	1060373Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6000 6011	30	216.1 215.1	1.0 0.4			PPP
10	5/19/2025 9:18	DUSTIN PHILLIPS	TWC-043251 TULSA GAS	9.25x51 METHANE	TW 08/93	229 C5	3AA-3600 PSI	6000 6016	30	204.7 204.7	0.0 0.0			PPP
11	5/19/2025 9:25	DUSTIN PHILLIPS	1060371Y TULSA GAS	9.25x51 METHANE	CL 03-92	230 C5	3AA-3600 PSI	6000 6023	30	210.7 209.7	1.0 0.4			PPP
12	5/19/2025 9:31	DUSTIN PHILLIPS	TWC-043288 TULSA GAS	9.25x51 METHANE	TW 08/93	230 C5	3AA-3600 PSI	6000 6008	30	202.3 200.3	2.0 0.9			PPP
13	5/19/2025 11:58	DUSTIN PHILLIPS	1062731Y TULSA GAS	9.25x51 METHANE	TW 03-92	230 C5	3AA-3600 PSI	6000 6023	30	210.4 209.4	1.0 0.4			PPP
14	5/19/2025 12:03	DUSTIN PHILLIPS	1062737Y TULSA GAS	9.25x51 METHANE	TW 03-92	230 C5	3AA-3600 PSI	6000 6009	30	210.7 210.7	0.0 0.0			PPP