

Cylinder Requalification Report

DOT/TC Registration # C019

FULLERTON HYDRO TEST

25318 S HWY 88

INOLA, OK 74036

Revise & Report 9-4-25
CoServ Gas Co.

TGT S/N - 15121101
PO-COSERV 052725

Code Has Three Letters: 1st Letter: Visual Test, 2nd Letter: % Perm Exp Test, 3rd Letter: REE Test
Letter Code: P=Passed, F=Failed, N=Not Applicable, A=Aborted Example: PPP=Passed Visual, Passed % Prm, Passed REE
PCAL, FCAL used for passed, failed calibration verification test, respectively; PASS/FAIL used proof tests-no REE, no % perm criteria

Operator Signature: _____

Date Signed: _____

Supervisor Signature: _____

Date Signed: 9-4-25

I hereby certify that all the following tests were made under my supervision and in accordance with DOT/CTC regulations.

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percen	++ VE	VE Date Ref Ring	Disposition Remark
15	6/25/2025 13:53	DUSTIN PHILLIPS	T51-000526 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 5437	30	178.9 0.0	0.0 0.0			PAA Operator Abort
16	6/25/2025 14:05	DUSTIN PHILLIPS	T51-000526 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6139 6159	30	203.8 203.8	0.0 0.0			PPP Retest at +100/1
17	6/25/2025 14:11	DUSTIN PHILLIPS	T51-000473 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6006	30	207.7 204.7	3.0 1.4			PPP
18	6/25/2025 14:18	DUSTIN PHILLIPS	T51-000475 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6002	30	207.6 207.6	0.0 0.0			PPP
19	6/25/2025 14:24	DUSTIN PHILLIPS	T51-000474 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6023	30	203.4 199.4	4.0 1.9			PPP
20	6/25/2025 14:32	DUSTIN PHILLIPS	T51-000476 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6017	30	202.2 201.2	1.0 0.4			PPP
21	6/25/2025 14:39	DUSTIN PHILLIPS	T51-000509 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6019	30	200.2 198.2	2.0 1.0			PPP
22	6/25/2025 14:50	DUSTIN PHILLIPS	T51-000643 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6020	30	209.8 207.8	2.0 0.9			PPP
23	6/25/2025 14:57	DUSTIN PHILLIPS	T51-000535 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6007	30	201.5 198.5	3.0 1.4			PPP
24	6/25/2025 15:04	DUSTIN PHILLIPS	KI749044Y TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6024	30	213.2 212.2	1.0 0.4			PPP
25	6/25/2025 15:15	DUSTIN PHILLIPS	KI-749178Y TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6022	30	210.5 209.5	1.0 0.4			PPP
26	6/25/2025 15:23	DUSTIN PHILLIPS	T51-000524 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6016	30	203.8 202.8	1.0 0.4			PPP
27	6/25/2025 15:28	DUSTIN PHILLIPS	T51-000596 TULSA GAS	9.25x51 Spec Gas	TW 04/82	230 C5	3AA-3600 PSI	6000 6030	30	207.7 203.7	4.0 1.9			PPP
28	6/25/2025 15:36	DUSTIN PHILLIPS	KI749103Y TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6019	30	211.8 210.8	1.0 0.4			PPP
29	6/25/2025 15:42	DUSTIN PHILLIPS	KI749227Y TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6019	30	212.8 209.8	3.0 1.4			PPP

Test Date(s): 6/25/2025 - 6/26/2025

9/4/2025

9:13:41AM

Page 1 of 3

	Test Date	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percen	+* VE	VE Date Ref Ring	Disposition Remark
30	6/25/2025 15:50	DUSTIN PHILLIPS	KI757884Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6005	30	206.7 204.7	2.0 0.9			PPP
31	6/25/2025 15:55	DUSTIN PHILLIPS	KI748853Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6020	30	210.3 206.3	4.0 1.9			PPP
32	6/25/2025 16:04	DUSTIN PHILLIPS	KI757878Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6007	30	215.4 212.4	3.0 1.3			PPP
33	6/25/2025 16:10	DUSTIN PHILLIPS	KI763447Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02/90	230 C5	3AA-3600 PSI	6000 6022	30	210.6 208.6	2.0 0.9			PPP
34	6/25/2025 16:18	DUSTIN PHILLIPS	KI757941Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6021	30	209.8 206.8	3.0 1.4			PPP
35	6/25/2025 16:25	DUSTIN PHILLIPS	KI749042Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6025	30	215.1 211.1	4.0 1.8			PPP
1	6/26/2025 8:33	DUSTIN PHILLIPS	KI757894Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6021	30	202.6 199.6	3.0 1.4			PPP
2	6/26/2025 8:40	DUSTIN PHILLIPS	KI748800Y2360 ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6004	30	209.0 208.0	1.0 0.4			PPP
3	6/26/2025 8:49	DUSTIN PHILLIPS	KI749080Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6013	30	201.4 201.4	0.0 0.0			PPP
4	6/26/2025 8:56	DUSTIN PHILLIPS	KI757889Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6007	30	208.6 207.6	1.0 0.4			PPP
5	6/26/2025 9:04	DUSTIN PHILLIPS	KI748916Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6016	30	206.3 205.3	1.0 0.4			PPP
6	6/26/2025 9:10	DUSTIN PHILLIPS	KI757882Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6010	30	207.3 203.3	4.0 1.9			PPP
7	6/26/2025 9:27	DUSTIN PHILLIPS	KI748766Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6018	30	206.3 205.3	1.0 0.4			PPP
8	6/26/2025 9:32	DUSTIN PHILLIPS	KI749005Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6021	30	216.2 213.2	3.0 1.3			PPP
9	6/26/2025 9:39	DUSTIN PHILLIPS	KI748803Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6019	30	207.8 206.8	1.0 0.4			PPP
10	6/26/2025 9:44	DUSTIN PHILLIPS	KI757887Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6024	30	206.8 204.8	2.0 0.9			PPP
11	6/26/2025 9:51	DUSTIN PHILLIPS	KI749397Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6007	30	213.1 212.1	1.0 0.4			PPP
12	6/26/2025 9:56	DUSTIN PHILLIPS	KI748810Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6019	30	208.4 206.4	2.0 0.9			PPP
13	6/26/2025 10:02	DUSTIN PHILLIPS	KI748771Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6020	30	207.7 205.7	2.0 0.9			PPP
14	6/26/2025 10:06	DUSTIN PHILLIPS	KI763570Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6011	30	209.0 206.0	3.0 1.4			PPP
15	6/26/2025 10:14	DUSTIN PHILLIPS	KI757940Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6021	30	212.8 211.8	1.0 0.4			PPP
16	6/26/2025 10:18	DUSTIN PHILLIPS	KI-748943Y ✓ TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6022	30	213.7 211.7	2.0 0.9			PPP

	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percen	+ * VE	VE Date Ref Ring	Disposition Remark
17	6/26/2025 10:26	DUSTIN PHILLIPS	K1749074Y TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6025	30	212.5 210.5	2.0 0.9			PPP
18	6/26/2025 10:32	DUSTIN PHILLIPS	K1749346Y TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6013	30	215.5 213.5	2.0 0.9			PPP
19	6/26/2025 10:39	DUSTIN PHILLIPS	K1781930Y TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6020	30	201.0 200.0	1.0 0.5			PPP
20	6/26/2025 10:44	DUSTIN PHILLIPS	K1763520Y TULSA GAS	9.25x51 Spec Gas	CL 02-90	230 C5	3AA-3600 PSI	6000 6017	30	212.2 210.2	2.0 0.9			PPP