

Cylinder Requalification Report

FULLERTON HYDRO TEST

DOT/TC Registration # C019

25318 S HWY 88
INOLA, OK 74036

Code Has Three Letters: 1st Letter: Visual Test, 2nd Letter: % Perm Exp Test, 3rd Letter: REE Test
Letter Code: P=Passed, F=Failed, N=Not Applicable, A=Aborted Example: PPP-Passed Visual, Passed % Perm, Passed REE
PCAL, FCAL used for passed, failed calibration verification test, respectively; PASS/FAIL used proof tests-no REE, no % perm criteria

Operator Signature: _____

Date Signed: _____

Supervisor Signature: _____

Date Signed: _____

I hereby certify that all the following tests were made under my supervision and in accordance with DOT/CTC regulations.

25318/1122

#	Test Date	Operator	Serial Number	Size	Cyl Mfg.	REE	Rating	Specified	Test	Total	Perm	+	VE	VE Date	Disposition
	Test Time		Cyl Owner	Service	Mfg. Date	Source	Unit	Actual	Time	Elastic	Percent	VE	Ref	Ring	Remark
24	2/6/2026	DUSTIN	TWC-122235	9.25x51	TW	230	3AA-3600	6000	30	199.4	2.0				PPP
25	2/6/2026	DUSTIN	TULSA GAS	METHANE	06/94	C5	PSI	6007	30	197.4	1.0				PPP
26	2/6/2026	DUSTIN	T51-001867	9.25x51	TW	230	3AA-3600	6000	30	208.2	2.0				PPP
27	2/6/2026	DUSTIN	TULSA GAS	METHANE	10/82	C5	PSI	6024	30	206.2	0.9				PPP
28	2/6/2026	DUSTIN	HS-238864	9.25x51	CL	230	3AA-3600	6000	30	207.2	0.0				PPP
29	2/6/2026	DUSTIN	TULSA GAS	METHANE	09-92	C5	PSI	5831	30	0.0	0.0				Operator Abort
30	2/6/2026	DUSTIN	1142542Y	9.25x51	CL	230	3AA-3600	6000	30	212.7	1.0				PPP
31	2/6/2026	DUSTIN	TULSA GAS	METHANE	09-92	C5	PSI	6009	30	211.7	0.4				PPP
32	2/6/2026	DUSTIN	953563Y	9.25x51	TW	230	3AA-3600	6000	30	199.9	1.0				PPP
33	2/6/2026	DUSTIN	TULSA GAS	METHANE	03/82	C5	PSI	6027	30	198.9	0.5				PPP
34	2/6/2026	DUSTIN	868182Y	9.25x51	CL	230	3AA-3600	6000	30	210.8	1.0				PPP
35	2/6/2026	DUSTIN	TULSA GAS	METHANE	06-91	C5	PSI	6018	30	209.8	0.4				PPP
36	2/6/2026	DUSTIN	TULSA GAS	METHANE	09-90	C5	PSI	6057	30	202.5	1.0				PPP
37	2/6/2026	DUSTIN	TW10-705484	9.25x51	TW	230	3AA-3600	6000	30	196.7	1.0				PPP
38	2/6/2026	DUSTIN	953575Y	9.25x51	CL	230	3AA-3600	6000	30	195.7	0.5				PPP
39	2/6/2026	DUSTIN	TULSA GAS	METHANE	06-91	C5	PSI	6035	30	212.4	1.0				PPP
40	2/6/2026	DUSTIN	TWC-122225	9.25x51	TW	230	3AA-3600	6000	30	205.4	1.0				PPP
41	2/6/2026	DUSTIN	TULSA GAS	METHANE	06/94	C5	PSI	6030	30	204.4	0.4				PPP
42	2/6/2026	DUSTIN	TW10-705485	9.25x51	TW	230	3AA-3600	6000	30	197.7	3.0				PPP
43	2/6/2026	DUSTIN	TULSA GAS	METHANE	01/10	C5	PSI	6016	30	194.7	1.5				PPP
44	2/6/2026	DUSTIN	1142519Y	9.25x51	CL	230	3AA-3600	6000	30	213.6	3.0				PPP
45	2/6/2026	DUSTIN	TULSA GAS	METHANE	09-92	C5	PSI	6030	30	210.6	1.4				PPP
46	2/6/2026	DUSTIN	1201125Y	9.25x51	CL	230	3AA-3600	6000	30	206.4	1.0				PPP
47	2/6/2026	DUSTIN	TULSA GAS	METHANE	03-93	C5	PSI	6048	30	205.4	0.4				PPP
48	2/6/2026	DUSTIN	912899Y	9.25x51	CL	230	3AA-3600	6000	30	212.2	1.0				PPP
49	2/6/2026	DUSTIN	TULSA GAS	METHANE	06-91	C5	PSI	6027	30	211.2	0.4				PPP
50	2/6/2026	DUSTIN	912801Y	9.25x51	CL	230	3AA-3600	6000	30	210.4	2.0				PPP
51	2/6/2026	DUSTIN	TULSA GAS	METHANE	04-91	C5	PSI	6025	30	208.4	0.9				PPP

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl Mfg. Mfg. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percent	+ *	VE Date Ref Ring	Disposition Remark
44	2/8/2026 8:52	DUSTIN PHILLIPS	TW10-705475 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6042	30	199.5 197.5	2.0 1.0			PPP
45	2/9/2026 8:57	DUSTIN PHILLIPS	TW10-705476 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6027	30	197.6 196.6	1.0 0.5			PPP
46	2/9/2026 9:01	DUSTIN PHILLIPS	868169Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 CS	3AA-3600 PSI	6000 6012	30	208.3 207.3	1.0 0.4			PPP
47	2/9/2026 9:06	DUSTIN PHILLIPS	912793Y TULSA GAS	9.25x51 METHANE	CL 04-91	230 CS	3AA-3600 PSI	6000 6025	30	209.8 207.8	2.0 0.9			PPP
48	2/9/2026 9:11	DUSTIN PHILLIPS	1142518Y TULSA GAS	9.25x51 METHANE	CL 09-92	230 CS	3AA-3600 PSI	6000 6038	30	203.3 203.3	0.0 0.0			PPP
49	2/9/2026 9:16	DUSTIN PHILLIPS	HS-238969 TULSA GAS	9.25x51 METHANE	TW 03/82	230 CS	3AA-3600 PSI	6000 6055	30	205.1 204.1	1.0 0.4			PPP
50	2/9/2026 11:25	DUSTIN PHILLIPS	868157Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 CS	3AA-3600 PSI	6000 6047	30	206.5 205.5	1.0 0.4			PPP
51	2/9/2026 11:30	DUSTIN PHILLIPS	TW10-705486 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6044	30	198.1 197.1	1.0 0.5			PPP
52	2/9/2026 11:35	DUSTIN PHILLIPS	9535477Y TULSA GAS	9.25x51 METHANE	CL 06-91	230 CS	3AA-3600 PSI	6000 6039	30	210.7 209.7	1.0 0.4			PPP
53	2/9/2026 11:43	DUSTIN PHILLIPS	1475589Y TULSA GAS	9.25x51 METHANE	CL 11-94	230 CS	3AA-3600 PSI	6000 6050	30	204.3 204.3	0.0 0.0			PPP
54	2/9/2026 11:48	DUSTIN PHILLIPS	1201110Y TULSA GAS	9.25x51 METHANE	CL 03-93	230 CS	3AA-3600 PSI	6000 6043	30	212.8 211.8	1.0 0.4			PPP
55	2/9/2026 11:53	DUSTIN PHILLIPS	1201106Y TULSA GAS	9.25x51 METHANE	CL 03-93	230 CS	3AA-3600 PSI	6000 6020	30	207.4 207.4	0.0 0.0			PPP
56	2/9/2026 11:58	DUSTIN PHILLIPS	TW10-705487 TULSA GAS	9.25x51 METHANE	CL 01/10	230 CS	3AA-3600 PSI	6000 6045	30	201.5 200.5	1.0 0.5			PPP
57	2/9/2026 14:11	DUSTIN PHILLIPS	TW10-705481 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6056	30	196.3 195.3	1.0 0.5			PPP
58	2/9/2026 14:16	DUSTIN PHILLIPS	953552Y TULSA GAS	9.25x51 METHANE	CL 06-91	230 CS	3AA-3600 PSI	6000 6031	30	215.6 212.6	3.0 1.3			PPP
59	2/9/2026 14:20	DUSTIN PHILLIPS	HS-238857 TULSA GAS	9.25x51 METHANE	TW 03/82	230 CS	3AA-3600 PSI	6000 6018	30	201.4 200.4	1.0 0.5			PPP
60	2/9/2026 14:25	DUSTIN PHILLIPS	TW10-705480 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6039	30	196.4 195.4	1.0 0.5			PPP
61	2/9/2026 14:30	DUSTIN PHILLIPS	912818Y TULSA GAS	9.25x51 METHANE	CL 04-91	230 CS	3AA-3600 PSI	6000 6024	30	207.2 206.2	1.0 0.4			PPP
62	2/9/2026 14:35	DUSTIN PHILLIPS	868149Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 CS	3AA-3600 PSI	6000 6026	30	206.0 206.0	0.0 0.0			PPP
63	2/9/2026 14:39	DUSTIN PHILLIPS	953557Y TULSA GAS	9.25x51 METHANE	CL 06-91	230 CS	3AA-3600 PSI	6000 6023	30	209.2 208.2	1.0 0.4			PPP
64	2/9/2026 14:50	DUSTIN PHILLIPS	868138Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 CS	3AA-3600 PSI	6000 6021	30	208.8 208.8	0.0 0.0			PPP
65	2/9/2026 16:25	DUSTIN PHILLIPS	TW10-705477 TULSA GAS	9.25x51 METHANE	TW 01/10	230 CS	3AA-3600 PSI	6000 6011	30	199.1 196.1	3.0 1.5			PPP

Test Date(s): 2/6/2026 - 2/10/2026

5/26/2026

3:31:14PM

#	Test Date Test Time	Operator	Serial Number Cyl Owner	Size Service	Cyl MFG. MFG. Date	REE Source	Rating Unit	Specified Actual	Test Time	Total Elastic	Perm Percent	+* VE	VE Date Ref Ring	Disposition Remark
66	2/9/2026 16:32	DUSTIN PHILLIPS	1142501Y TULSA GAS	9.25x51 METHANE	CL 09-92	230 C5	3AA-3600 PSI	6000 6016	30	209.5 208.5	1.0 0.4			PPP
67	2/9/2026 16:37	DUSTIN PHILLIPS	TW10-705478 TULSA GAS	9.25x51 METHANE	TW 01/10	230 C5	3AA-3600 PSI	6000 6048	30	201.2 200.2	1.0 0.5			PPP
68	2/9/2026 16:41	DUSTIN PHILLIPS	868185Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 C5	3AA-3600 PSI	6000 6016	30	203.2 202.2	1.0 0.4			PPP
69	2/9/2026 16:46	DUSTIN PHILLIPS	868153Y TULSA GAS	9.25x51 METHANE	CL 09-90	230 C5	3AA-3600 PSI	6000 6010	30	207.1 206.1	1.0 0.4			PPP
70	2/9/2026 16:51	DUSTIN PHILLIPS	KI763575Y TULSA GAS	9.25x51 METHANE	CL 02-90	230 C5	3AA-3600 PSI	6000 6014	30	208.6 207.6	1.0 0.4			PPP
1	2/10/2026 8:24	DUSTIN PHILLIPS	907585Y TULSA GAS	9.25x51 METHANE	CL 05-91	230 C5	3AA-3600 PSI	6000 6025	30	211.8 208.8	3.0 1.4			PPP
2	2/10/2026 8:29	DUSTIN PHILLIPS	907523Y TULSA GAS	9.25x51 METHANE	CL 05-91	230 C5	3AA-3600 PSI	6000 6021	30	212.7 208.7	4.0 1.8			PPP
3	2/10/2026 8:33	DUSTIN PHILLIPS	907437Y TULSA GAS	9.25x51 METHANE	CL 05-91	230 C5	3AA-3600 PSI	6000 6018	30	210.8 208.8	2.0 0.9			PPP
4	2/10/2026 8:38	DUSTIN PHILLIPS	907122Y TULSA GAS	9.25x51 METHANE	CL 02-91	230 C5	3AA-3600 PSI	6000 6024	30	210.5 209.5	1.0 0.4			PPP
5	2/10/2026 8:45	DUSTIN PHILLIPS	907580Y TULSA GAS	9.25x51 METHANE	CL 05-91	230 C5	3AA-3600 PSI	6000 6025	30	209.9 208.9	1.0 0.4			PPP