


CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # NCI 021826 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: 
TITLE: assembly
DATE: 5/28/26

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Work Order # NCI 21826
 Customer Name Nicosia Consulting
 Customer PO 100621
 Date Required asap

ASSEMBLY/CERTIFICATION SHEET


		SIGN	DATE
1	<input checked="" type="checkbox"/> Review shop work order versus customer print and history	RC	128/26
2	<input checked="" type="checkbox"/> Component part numbers: <u>5CNG12/5CNG6-0606/0506-1212/66-96"</u> Pack dates and/or QC codes <u>5/28/26</u>	RC	128/26
3	<input checked="" type="checkbox"/> ID band number <u>5CNG12-0606/0506-1212/66-96</u>	RC	128/26
4	<input checked="" type="checkbox"/> Hose Cut Length <u>105"</u>	RC	128/26
5	<input type="checkbox"/> Pre-expansion of hose (if required) Size _____ Remarks: _____		
6	<input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	RC	128/26
7	<input type="checkbox"/> Add special accessories _____ Remarks: _____		
8	<input checked="" type="checkbox"/> Apply danger tag and ID band	RC	128/26
9	<input checked="" type="checkbox"/> Install bend restrictors Remarks: _____	RC	128/26
10	<input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____	RC	128/26
11	<input type="checkbox"/> Set offset angle and/or orientation Remarks: _____		
12	<input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 <input type="checkbox"/> 1/2) 80C-PO8H <input checked="" type="checkbox"/> 3/8) 80C-PO6H <input type="checkbox"/> 1/4) 80C-PO4H <input type="checkbox"/> 1/8) 80C-PO2 <input type="checkbox"/> 3/8) 80C-PO6 <input checked="" type="checkbox"/> 3/4) 80C-P12H	RC	128/26
13	<input type="checkbox"/> Add special accessories after crimping/swaging		
14	<input type="checkbox"/> Perform and record burst test results, if applicable Remarks: _____		
15	<input type="checkbox"/> Air test, if applicable Test pressure Psi _____ Seconds _____ ; Pass/Fail (Circle One) Remarks: _____		
16	<input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <input checked="" type="checkbox"/> Pass/Fail (Circle One) Remarks: _____	RC	128/26
17	<input checked="" type="checkbox"/> Flush method water, and then air	RC	128/26
18	<input checked="" type="checkbox"/> Perform and record conductivity test; Meter <u>Megger Mit200</u> Hose resistance _____ (-) Electrode resistance <u>0.03</u> (=) Final hose resistance <u>0.03</u>	RC	128/26
19	<input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-58 .668/.688 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 <input checked="" type="checkbox"/> 5CNG-12-58 1.20/1.22	RC	128/26
	*****100% VISUAL INSPECT FOR THE FOLLOWING*****		
	<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;	RC	128/26
	<input checked="" type="checkbox"/> Presence of threads	RC	128/26
20	<input checked="" type="checkbox"/> Cap and package hose		

- 3**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 10 5/8" |
| 05 SAE O-RING STRAIGHT THREAD | 12 3/4" |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |
- 4**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 10 5/8" |
| 05 SAE O-RING STRAIGHT THREAD | 12 3/4" |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 7**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 10 5/8" |
| 05 SAE O-RING STRAIGHT THREAD | 12 3/4" |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |
- 1**
- | | |
|-----------|-----------|
| CG SERIES | HOSE SIZE |
| 4 | 1 1/4" |
| 6 | 3/8" |
| 8 | 1/2" |
| 12 | 3/4" |

- 8**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 10 5/8" |
| 05 SAE O-RING STRAIGHT THREAD | 12 3/4" |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

cut 105"
11 FILL HOSE LENGTH
96"



- 5**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |
- 6**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 2**
- | | |
|-----------|-----------|
| CG SERIES | HOSE SIZE |
| 4 | 1 1/4" |
| 6 | 3/8" |

- 9**
- | | |
|-------------------------------|--------------|
| FITTING TYPE | FITTING SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

SHEREX CT1000 use 1/4" VENT ONLY 5/8"
SHEREX CT5000 use 3/8" VENT ONLY 3/8"

WORK ORDER # **1**
5CNG12/5CNG **0-0606** / **0506** - **12/2/60** - **96"**

FILL HOSE

DATE: 02/27/87
DESIGNED BY: C. SEWELL
DRAWN BY: C.B.S.
SCALE: NONE

HERSA GAS TECHNOLOGIES, INC.
1017 EAST 48TH STREET
HERSA, OK 74109
918-686-2041 FAX: 018-686-0887

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

CG SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

FITTING TYPE


- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

BREAK-AWAY OR DISPENSER END



5 & 9

3 & 7

1 FILL

2 VENT

6 & 10

4 & 8

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

CG SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

SHEREX CT1000 use 1/4" VENT ONLY 5/8" VENT ONLY use 3/8" VENT ONLY

WORK ORDER #

1 2 3 4 5 6 7 8 9 10 11
5CNG12/5CNG6-0606/0506-12/166-36"

FILL HOSE

DATE: 03/27/97
 DESIGNED BY: C. SEWELL
 DRAWN BY: G.R.S.
 CHECKED BY:
 SCALE: NONE

HERSCHEL TECHNOLOGIES, INC.
 1017 EAST 40TH STREET
 TULSA, OK 74110
 918-466-3043 FAX: 918-466-3607

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Work Order # NCI021826
 Customer Name Nicosia consulting
 Customer PO 100621
 Date Required asap

ASSEMBLY/CERTIFICATION SHEET

		SIGN	DATE
1	<input checked="" type="checkbox"/> Review shop work order versus customer print and history	RC	5/28/26
2	<input checked="" type="checkbox"/> Component part numbers: <u>5CNG 8/5CNG 4-0606/0506-88/64-96"</u>		
	Pack dates and/or QC codes <u>5/28/26</u>	RC	5/28/26
3	<input checked="" type="checkbox"/> ID band number <u>5CNG 8-0606/0506-88/64-96"</u>	RC	5/28/26
4	<input checked="" type="checkbox"/> Hose Cut Length <u>109"</u>	RC	5/28/26
5	Pre-expansion of hose (if required) Size _____ Remarks: _____		
6	<input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	RC	5/28/26
7	Add special accessories _____ Remarks: _____		
8	<input checked="" type="checkbox"/> Apply danger tag and ID band	RC	5/28/26
9	<input checked="" type="checkbox"/> Install bend restrictors Remarks: _____	RC	5/28/26
10	<input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____	RC	5/28/26
11	Set offset angle and/or orientation Remarks: _____		
12	<input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58		
	<input checked="" type="checkbox"/> 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____		
	<input checked="" type="checkbox"/> 1/4) 80C-PO4H _____ 1/8) 80C-PO2 _____		
	_____ 3/8) 80C-PO6 _____ 3/4) 80C-P12H _____	RC	5/28/26
13	Add special accessories after crimping/swaging _____		
14	Perform and record burst test results, if applicable Remarks: _____		
15	Air test, if applicable Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____		
16	<input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <input checked="" type="checkbox"/> Pass/Fail (Circle One) Remarks: _____	RC	5/28/26
17	<input checked="" type="checkbox"/> Flush method water, and then air	RC	5/28/26
18	<input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200 Hose resistance _____ (-) Electrode resistance _____ 0.03 (=) Final hose resistance <u>0.03</u>	RC	5/28/26
19	<input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: <input checked="" type="checkbox"/> 5CNG-4-58 .668/.688 <input checked="" type="checkbox"/> 5CNG-4-58 .785/.805 <input checked="" type="checkbox"/> 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 <input checked="" type="checkbox"/> 5CNG-12-58 1.20/1.22	RC	5/28/26
	*****100% VISUAL INSPECT FOR THE FOLLOWING*****		
	<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;		
	<input checked="" type="checkbox"/> Presence of threads	RC	5/28/26
20	<input checked="" type="checkbox"/> Cap and package hose	RC	5/28/26

3

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

- CG SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"


4

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

BREAK-AWAY OR DISPENSER END



5

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

2

- CG SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"

6

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

SHEREX CT1000 use 1/4" VENT ONLY 5/8" VENT ONLY SHEREX CT5000 use 3/8" VENT ONLY

WORK ORDER #

1 2 3 4 5 6 7 8 9 10 11
5CNG 8/5CNG 4-06 06 / 05 06 - 88 / 64 - 76"

FILL HOSE

DATE: 03/27/97	DESIGNED BY: C. SEWELL	CHECKED BY:	SCALE: NONE
THE WOODS COMPANY, INC. 101 W. 143RD STREET TOLSON, OK 74146 018-962-2441 FAX: 018-962-5627			


Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Work Order # NCI021826
 Customer Name Nicosia consulting
 Customer PO 100624
 Date Required asap

ASSEMBLY/CERTIFICATION SHEET

	SIGN	DATE
1 <input checked="" type="checkbox"/> Review shop work order versus customer print and history	<u>RC</u>	<u>128/26</u>
2 <input checked="" type="checkbox"/> Component part numbers: <u>5CNG8/5CNG4-0604/0506-128/66-36"</u> Pack dates and/or QC codes <u>9/28/26</u>	<u>RC</u>	<u>128/26</u>
3 <input checked="" type="checkbox"/> ID band number <u>5CNG8/0604/0506-128/66-36"</u>	<u>RC</u>	<u>128/26</u>
4 <input checked="" type="checkbox"/> Hose Cut Length <u>36"</u>	<u>RC</u>	<u>128/26</u>
5 <input type="checkbox"/> Pre-expansion of hose (if required) Size _____ Remarks: _____		
6 <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	<u>RC</u>	<u>128/26</u>
7 <input type="checkbox"/> Add special accessories _____ Remarks: _____		
8 <input checked="" type="checkbox"/> Apply danger tag and ID band	<u>RC</u>	<u>128/26</u>
9 <input checked="" type="checkbox"/> Install bend restrictors Remarks: _____	<u>RC</u>	<u>128/26</u>
10 <input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____	<u>RC</u>	<u>128/26</u>
11 <input type="checkbox"/> Set offset angle and/or orientation Remarks: _____		
12 <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 <input checked="" type="checkbox"/> 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ <input checked="" type="checkbox"/> 1/4) 80C-PO4H _____ 1/8) 80C-PO2 _____ <input type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H _____	<u>RC</u>	<u>128/26</u>
13 <input type="checkbox"/> Add special accessories after crimping/swaging _____		
14 <input type="checkbox"/> Perform and record burst test results, if applicable Remarks: _____		
15 <input type="checkbox"/> Air test, if applicable Test pressure Psi _____ Seconds _____ ; Pass/Fail (Circle One) Remarks: _____		
16 <input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> Fail (Circle One) Remarks: _____	<u>RC</u>	<u>128/26</u>
17 <input checked="" type="checkbox"/> Flush method water, and then air	<u>RC</u>	<u>128/26</u>
18 <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200 Hose resistance _____ (-) Electrode resistance _____ 0.03 (=) Final hose resistance <u>0.03</u>	<u>RC</u>	<u>128/26</u>
19 <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: <input checked="" type="checkbox"/> 5CNG-4-58 .668/.688 <input checked="" type="checkbox"/> 5CNG-4-58 .785/.805 <input checked="" type="checkbox"/> 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 <input checked="" type="checkbox"/> 5CNG-12-58 1.20/1.22 *****100% VISUAL INSPECT FOR THE FOLLOWING***** <input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly; <input checked="" type="checkbox"/> Presence of threads	<u>RC</u>	<u>128/26</u>
20 <input checked="" type="checkbox"/> Cap and package hose	<u>RC</u>	<u>128/26</u>

- 3** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
- 7** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"
- 1** CG SERIES
 HOSE SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"
- 4** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
- 8** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"



- 5** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
- 9** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"
 8 1/2"
- 2** CG SERIES
 HOSE SIZE
 4 1/4"
 6 3/8"
- 6** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
- 10** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"
 8 1/2"
- SHEREX CT1000 use 1/4" VENT ONLY 5/8"
 SHEREX CT5000 use 3/8" VENT ONLY

WORK ORDER #

1 2 3 4 5 6 7 8 9 10 11
 5CNG 8 / 5CNG 4 - 06 04 / 05 06 - 12 8 / 6 6 - 36"

FILL HOSE	
DATE: 03/27/97	DESIGNED BY: C. SEWELL
DRAWN BY: C.R.S.	CHECKED BY:
DWG. NO. 5CNG 5CNG	SCALE: NONE
SHEET NO. OF	REV. 3

TULSA GAS TECHNOLOGIES, INC.
 10700 S. WILSON BLVD.
 TULSA, OK 74146
 918-665-2641 FAX: 918-665-2657