

Dual Hose

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number- W/OS/N21071315 KGS specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Kendall

TITLE: ASSEMBLY

DATE: 10/5/2021

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N21071315
 Customer Name KGS
 Customer PO N/A
 Date Required 10/5/2021

ASSEMBLY/CERTIFICATION SHEET

	SIGN	DATE
1 <input checked="" type="checkbox"/> Review shop work order versus customer print and history	_____	<u>10/5/2021</u>
2 <input checked="" type="checkbox"/> Component part numbers: _____ W/O-052121	_____	_____
Pack dates and/or QC codes _____ 521213.413	_____	<u>10/5/2021</u>
3 <input checked="" type="checkbox"/> ID band number _____ 5CNG6/5CNG4-0501/0106-64/24-96"	_____	<u>10/5/2021</u>
4 <input checked="" type="checkbox"/> Hose Cut Length _____ 96"	_____	<u>10/5/2021</u>
5 _____ Pre-expansion of hose (if required) Size _____	_____	_____
Remarks: _____	_____	_____
6 <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	_____	<u>10/5/2021</u>
7 _____ Add special accessories _____	_____	_____
Remarks: _____	_____	_____
8 <input checked="" type="checkbox"/> Apply danger tag and ID band	_____	_____
9 <input checked="" type="checkbox"/> Install bend restrictors	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
10 <input checked="" type="checkbox"/> Assemble fittings; check insertion depth	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
11 _____ Set offset angle and/or orientation	_____	_____
Remarks: _____	_____	_____
12 <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58	_____	_____
_____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H	_____	_____
_____ 1/4) 80C-PO4H _____ 1/2) 80C-PO2	_____	_____
<input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H	_____	<u>10/5/2021</u>
13 _____ Add special accessories after crimping/swaging	_____	_____
14 _____ Perform and record burst test results, if applicable	_____	_____
Remarks: _____	_____	_____
15 _____ Air test, if applicable	_____	_____
Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	<u>1/5/2021</u>
16 <input checked="" type="checkbox"/> Hydrostatic proof test	_____	_____
Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
17 <input checked="" type="checkbox"/> Flush method water, and then air	_____	<u>10/5/2021</u>
18 <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200	_____	_____
Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.03	_____	_____
0.03	_____	<u>10/5/2021</u>
19 <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable:	_____	_____
<input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN	_____	_____
Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05	_____	_____
_____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920	_____	<u>10/5/2021</u>
<input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22	_____	_____
*****100% VISUAL INSPECT FOR THE FOLLOWING*****	_____	_____
<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;	_____	_____
<input checked="" type="checkbox"/> Presence of threads	_____	<u>1/5/2021</u>
20 <input checked="" type="checkbox"/> Cap and package hose	_____	<u>10/5/2021</u>
21 <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	_____	<u>10/5/2021</u>

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 1 55
- 58 SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
 - 01 NPT MALE
 - 02 NPT FEMALE
 - 03 JIC MALE
 - 04 SAE 45 MALE
 - 05 SAE O-RING STRAIGHT THREAD
 - 06 JIC FEMALE SWIVEL
 - 07 FEMALE PIPE SWIVEL
- 8 FITTING SIZE
 - 4 1/4"
 - 6 3/8"
 - 8 1/2"
 - 12 3/4"

BREAK-AWAY END



11 FILL HOSE LENGTH

3 & 7

1 FILL

5 & 9

2 VENT

- 5 FITTING TYPE
 - 01 NPT MALE
 - 02 NPT FEMALE
 - 03 JIC MALE
 - 04 SAE 45 MALE
 - 05 SAE O-RING STRAIGHT THREAD
 - 06 JIC FEMALE SWIVEL
 - 07 FEMALE PIPE SWIVEL
- 9 FITTING SIZE
 - 2 1/8"
 - 4 1/4"
 - 6 3/8"

- 2 55 SERIES
- HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

STANDARD 3" SHEREX 5/8" 3"

- 6 FITTING TYPE
 - 01 NPT MALE
 - 02 NPT FEMALE
 - 03 JIC MALE
 - 04 SAE 45 MALE
 - 05 SAE O-RING STRAIGHT THREAD
 - 06 JIC FEMALE SWIVEL
 - 07 FEMALE PIPE SWIVEL
- 10 FITTING SIZE
 - 2 1/8"
 - 4 1/4"
 - 6 3/8"

w/0 KGS 052121

WORK ORDER # 5/0-2107/315

5CNG 6/520N 4-05 01 / 01 06 - 6 4 / 24 - 96

FILL HOSE

DATE 03/27/07
DESIGNED BY G. SEWELL

THIS HOSE IS NOT TO BE USED FOR ANY OTHER PURPOSES THAN THE FILL HOSE. OUR WORK IS NOT FOR THE FILL HOSE.

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number- W/OS/N21071315 KGS specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: *C. R. K. Everett*

TITLE: ASSEMBLY

DATE: 10/5/2021

0.01

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL


- 7 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"

- 4 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 8 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY END

11 *cut 26"*
FILL HOSE LENGTH
24"



- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

- 6 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 10 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

w/o - 1R05052421

WORK ORDER #S/n-21071316

5CNG1/520N4-0506/0106-68/24-24

FILL HOSE

THE CALSON TECHNOLOGIES, INC.
 10115 EAST 48TH STREET
 TULSA, OK 74148
 DIR: 905.264.1 FAX: 918.966.2867
 CUMMINS

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number- W/OS/N21071315 KGS specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Kendall

TITLE: ASSEMBLY

DATE: 10/5/2021

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N21071315
 Customer Name KGS
 Customer PO N/A
 Date Required 10/5/2021

ASSEMBLY/CERTIFICATION SHEET

	SIGN	DATE
1 <input checked="" type="checkbox"/> Review shop work order versus customer print and history	_____	10/5/2021
2 <input checked="" type="checkbox"/> Component part numbers: _____ W/O-052121	_____	_____
Pack dates and/or QC codes _____ 521213-413	_____	10/5/2021
3 <input checked="" type="checkbox"/> ID band number _____ 5CNG6/5CNG4-0501/0106-64/24-96"	_____	10/5/2021
4 <input checked="" type="checkbox"/> Hose Cut Length _____ 96"	_____	10/5/2021
5 _____ Pre-expansion of hose (if required) Size _____	_____	_____
Remarks: _____	_____	_____
6 <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	_____	10/5/2021
7 _____ Add special accessories _____	_____	_____
Remarks: _____	_____	_____
8 <input checked="" type="checkbox"/> Apply danger tag and ID band	_____	_____
9 <input checked="" type="checkbox"/> Install bend restrictors	_____	_____
Remarks: _____	_____	10/5/2021
10 <input checked="" type="checkbox"/> Assemble fittings; check insertion depth	_____	_____
Remarks: _____	_____	10/5/2021
11 _____ Set offset angle and/or orientation	_____	_____
Remarks: _____	_____	_____
12 <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58	_____	_____
_____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H	_____	_____
_____ 1/4) 80C-PO4H _____ 1/2) 80C-PO2	_____	_____
<input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H	_____	10/5/2021
13 _____ Add special accessories after crimping/swaging _____	_____	_____
14 _____ Perform and record burst test results, if applicable	_____	_____
Remarks: _____	_____	_____
15 _____ Air test, if applicable	_____	_____
Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	1/5/2021
16 <input checked="" type="checkbox"/> Hydrostatic proof test	_____	_____
Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	10/5/2021
17 <input checked="" type="checkbox"/> Flush method water, and then air	_____	10/5/2021
18 <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200	_____	_____
Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.03	_____	_____
0.03	_____	10/5/2021
19 <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable:	_____	_____
<input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN	_____	_____
Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05	_____	_____
_____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920	_____	10/5/2021
<input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22	_____	_____
*****100% VISUAL INSPECT FOR THE FOLLOWING*****	_____	_____
<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;	_____	_____
<input checked="" type="checkbox"/> Presence of threads	_____	1/5/2021
20 <input checked="" type="checkbox"/> Cap and package hose	_____	10/5/2021
21 <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	_____	10/5/2021

Dual Hose 2-3 Way Valve

KGS


0.03

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 1 55 SERIES HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 8 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"



- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 55 SERIES HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

- 6 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 10 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

w/10 KGS 052121

WORK ORDER # S/N 21071315

5CNG 1 2 3 4 5 6 7 8 9 10 11

6 4 24 - 96

4 - 05 01 / 01 06 - 64 / 24 - 96

FILL HOSE

DATE 03/27/97
DESIGNED BY C. SWELL

THE GAS CONNECTION PEOPLE, INC.
100 EAST AVENUE STREET
TULSA, OK 74104
OUR OFFICE FAX 918.486.2867
CHECKED BY

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of serial number- W/OS/N21071315 KGS specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds nor with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Kendall

TITLE: ASSEMBLY

DATE: 10/5/2021

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # S/N21071315
 Customer Name KGS
 Customer PO N/A
 Date Required 10/5/2021

ASSEMBLY/CERTIFICATION SHEET

	SIGN	DATE
1 <input checked="" type="checkbox"/> Review shop work order versus customer print and history	_____	<u>10/5/2021</u>
2 <input checked="" type="checkbox"/> Component part numbers: _____ W/O-052121	_____	_____
Pack dates and/or QC codes _____ 521213459	_____	<u>10/5/2021</u>
3 <input checked="" type="checkbox"/> ID band number _____ 5CNG6/5CNG4-0506/0106-68/24-24"	_____	<u>10/5/2021</u>
4 <input checked="" type="checkbox"/> Hose Cut Length _____ 24"	_____	<u>10/5/2021</u>
5 _____ Pre-expansion of hose (if required) Size _____	_____	_____
Remarks: _____	_____	_____
6 <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	_____	<u>10/5/2021</u>
7 _____ Add special accessories _____	_____	_____
Remarks: _____	_____	_____
8 <input checked="" type="checkbox"/> Apply danger tag and ID band	_____	_____
9 <input checked="" type="checkbox"/> Install bend restrictors	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
10 <input checked="" type="checkbox"/> Assemble fittings; check insertion depth	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
11 _____ Set offset angle and/or orientation	_____	_____
Remarks: _____	_____	_____
12 <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58	_____	_____
_____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H	_____	_____
_____ 1/4) 80C-PO4H _____ 1/2) 80C-PO2	_____	_____
<input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H	_____	<u>10/5/2021</u>
13 _____ Add special accessories after crimping/swaging _____	_____	_____
14 _____ Perform and record burst test results, if applicable	_____	_____
Remarks: _____	_____	_____
15 _____ Air test, if applicable	_____	_____
Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	<u>1/5/2021</u>
16 <input checked="" type="checkbox"/> Hydrostatic proof test	_____	_____
Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; Pass/Fail (Circle One)	_____	_____
Remarks: _____	_____	<u>10/5/2021</u>
17 <input checked="" type="checkbox"/> Flush method water, and then air	_____	<u>10/5/2021</u>
18 <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200	_____	_____
Hose resistance _____ 0 _____ (-) Electrode resistance _____ 0.01	_____	_____
0.01	_____	<u>10/5/2021</u>
19 <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable:	_____	_____
<input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN	_____	_____
Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05	_____	_____
_____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920	_____	<u>10/5/2021</u>
<input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 _____ 5CNG-12-58 1.20/1.22	_____	_____
*****100% VISUAL INSPECT FOR THE FOLLOWING*****	_____	_____
<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;	_____	_____
<input checked="" type="checkbox"/> Presence of threads	_____	<u>1/5/2021</u>
20 <input checked="" type="checkbox"/> Cap and package hose	_____	<u>10/5/2021</u>
21 <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	_____	<u>10/5/2021</u>

- 3 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 1 58 SERIES
- HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

- 4 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 8 FITTING SIZE
- 4 1/4"
- 6 3/8"
- 12 3/4"

BREAK AWAY END

11 CUT 26"
FILL HOSE LENGTH
24"

FILL END

3 & 7

5 & 9

1 FILL

2 VENT

4 & 8

6 & 10

- 5 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 2 55 SERIES
- HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

STANDARD 3"
SHEREX 5/8"

- 6 FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THIRLAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

- 10 FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

w/o - 1X6S 052421

WORK ORDER #5/n-21071316

5CNG1/520N4-0506/0106-68/24-24

FILL HOSE

DATE 01/27/97
BY SCURRY C. SWELL

THE HAZARD INFORMATION
STATEMENT APPLIES TO
THIS PRODUCT
DANGER: MAY CAUSE
SUFFOCATION