

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses on D/S 22101340 EMWG material and/or manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Kendall
TITLE: Assembly
DATE: 12-7-22

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641


Disp. Serial #	22101340
Customer Name	EMWG
Customer PO	N/A
Date Required	12/7/2022

ASSEMBLY/CERTIFICATION SHEET

	SIGN	DATE
1 <input checked="" type="checkbox"/> Review shop work order versus customer print and history	<u>CH</u>	12/7/2022
2 <input checked="" type="checkbox"/> Component part numbers: _____ 5219214457		
Pack dates and/or QC codes _____ W/OEMWG042722	<u>CH</u>	12/7/2022
3 <input checked="" type="checkbox"/> ID band number _____ 6CNG6/520N4-050 / 0106/8/24-96"	<u>CH</u>	12/7/2022
4 <input checked="" type="checkbox"/> Hose Cut Length _____ 96"	<u>CH</u>	12/7/2022
5 _____ Pre-expansion of hose (if required) Size _____		
Remarks: _____		
6 <input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	<u>CH</u>	12/7/2022
7 _____ Add special accessories _____		
Remarks: _____		
8 <input checked="" type="checkbox"/> Apply danger tag and ID band		
9 <input checked="" type="checkbox"/> Install bend restrictors		
Remarks: _____	<u>CH</u>	12/7/2022
10 <input checked="" type="checkbox"/> Assemble fittings; check insertion depth		
Remarks: _____	<u>CH</u>	12/7/2022
11 _____ Set offset angle and/or orientation		
Remarks: _____		
12 <input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58		
_____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H		
_____ 1/4) 80C-PO4H _____ 1/2) 80C-PO2		
<input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H	<u>CH</u>	12/7/2022
13 _____ Add special accessories after crimping/swaging		
14 _____ Perform and record burst test results, if applicable		
Remarks: _____		
15 _____ Air test, if applicable		
Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One)		
Remarks: _____	<u>CH</u>	12/7/2022
16 <input checked="" type="checkbox"/> Hydrostatic proof test		
Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> Fail (Circle One)		
Remarks: <u>Pass at Pressure Test</u>	<u>CH</u>	12/7/2022
17 <input checked="" type="checkbox"/> Flush method water, and then air	<u>CH</u>	12/7/2022
18 <input checked="" type="checkbox"/> Perform and record conductivity test; Meter _____ Megger Mit200		
Hose resistance _____ (-) Electrode resistance _____ 0.03	<u>CH</u>	12/7/2022
19 <input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable:		
<input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN		
Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05		
_____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920	<u>CH</u>	12/7/2022
<input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 \ <input checked="" type="checkbox"/> 5CNG-12-58 1.20/1.22		
*****100% VISUAL INSPECT FOR THE FOLLOWING*****		
<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;		
<input checked="" type="checkbox"/> Presence of threads	<u>CH</u>	12/7/2022
20 <input checked="" type="checkbox"/> Cap and package hose	<u>CH</u>	
21 <input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	<u>CH</u>	12/7/2022

2) 3 way Valve Standard

- 3** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 7** FITTING SIZE
4 1/4"
6 3/8"
8 1/2"
12 3/4"
- 1** 55 SERIES HOSE SIZE
4 1/4"
6 3/8"
8 1/2"
12 3/4"
- 4** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 8** FITTING SIZE
4 1/4"
6 3/8"
8 1/2"
12 3/4"



- 5** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 9** FITTING SIZE
2 1/8"
4 1/4"
6 3/8"
- 2** 55 SERIES HOSE SIZE
2 1/8"
4 1/4"
6 3/8"
- 6** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 10** FITTING SIZE
2 1/8"
4 1/4"
6 3/8"

5/17-22101340

WORK ORDER # EMWG 042722

5CNG 6/520N 4-05 01/01 06-6 4/24-96 11

FILL HOSE	
DATE: 01/05/03	DESIGNED BY: C. SEWELL
DRAWN BY: C.R.S.	CHECKED BY:
DWG. NO. FILLHOSE 5CNG/520N	SCALE: NONE
	SHEET NO. OF 2

LUSSA GAS TIGHT COPIES, INC.
10117 EAST 48TH STREET
LUSSA, OK 74146
918-665-2041 FAX 918-665-2067

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses on D/S 22101340 EMWG material and/or manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Rendall
TITLE: Assembly
DATE: 12-7-22


Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # 22101340
 Customer Name EMWG
 Customer PO N/A
 Date Required 12/7/2022

ASSEMBLY/CERTIFICATION SHEET

		SIGN	DATE
1	<input checked="" type="checkbox"/> Review shop work order versus customer print and history	<u>eik</u>	<u>12/7/2022</u>
2	<input checked="" type="checkbox"/> Component part numbers: <u>52192144456</u>		
	Pack dates and/or QC codes <u>W/OEMWG042722</u>	<u>CH</u>	<u>12/7/2022</u>
3	<input checked="" type="checkbox"/> ID band number <u>6CNG6/520N4-050 / 0106/8/24-24"</u>	<u>CH</u>	<u>12/7/2022</u>
4	<input checked="" type="checkbox"/> Hose Cut Length <u>24"</u>	<u>CH</u>	<u>12/7/2022</u>
5	<input type="checkbox"/> Pre-expansion of hose (if required) Size _____ Remarks: _____		
6	<input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	<u>CH</u>	<u>12/7/2022</u>
7	<input type="checkbox"/> Add special accessories _____ Remarks: _____		
8	<input checked="" type="checkbox"/> Apply danger tag and ID band		
9	<input checked="" type="checkbox"/> Install bend restrictors _____ Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
10	<input checked="" type="checkbox"/> Assemble fittings; check insertion depth _____ Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
11	<input type="checkbox"/> Set offset angle and/or orientation _____ Remarks: _____		
12	<input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 <input type="checkbox"/> 1/2) 80C-PO8H <input type="checkbox"/> 3/8) 80C-PO6H <input type="checkbox"/> 1/4) 80C-PO4H <input type="checkbox"/> 1/2) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 <input type="checkbox"/> 3/4) 80C-P12H	<u>CH</u>	<u>12/7/2022</u>
13	<input type="checkbox"/> Add special accessories after crimping/swaging _____		
14	<input type="checkbox"/> Perform and record burst test results, if applicable _____ Remarks: _____		
15	<input type="checkbox"/> Air test, if applicable Test pressure Psi _____ Seconds _____ ; Pass/Fail (Circle One) Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
16	<input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> /Fail (Circle One) Remarks: <u>Pressure test</u>	<u>CH</u>	<u>12/7/2022</u>
17	<input checked="" type="checkbox"/> Flush method water, and then air	<u>CH</u>	<u>12/7/2022</u>
18	<input checked="" type="checkbox"/> Perform and record conductivity test; Meter <u>Megger Mit200</u> Hose resistance _____ (-) Electrode resistance <u>0.01</u> 0.01	<u>CH</u>	<u>12/7/2022</u>
19	<input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> _____ 5CNG-6-55 .675/.695 \ _____ 5CNG-12-58 1.20/1.22	<u>CH</u>	<u>12/7/2022</u>
	*****100% VISUAL INSPECT FOR THE FOLLOWING*****		
	<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;		
	<input checked="" type="checkbox"/> Presence of threads	<u>CH</u>	<u>12/7/2022</u>
	<input checked="" type="checkbox"/> Cap and package hose	<u>CH</u>	
20	<input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	<u>CH</u>	<u>12/7/2022</u>

- 3** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 7** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"
- 1** 55 SERIES HOSE SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"
- 4** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 8** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"



- 5** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 9** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"
- 2** 55 SERIES HOSE SIZE
 2 1/8"
 4 1/4"
 6 3/8"
- 6** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 10** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"

STANDARD 3" }
 SHEREX 5/8" }

S/N- 22101340

WORK ORDER # EMW6042722

5CNG / - / - / -

FILL HOSE		THE SAE GROUP, INC.	
DATE: 01/09/03	DESIGNED BY: C. SEWELL	1017 EAST 18TH STREET	
DRAWN BY: C.R.S.	CHECKED BY:	TORONTO, ONT. M2H 1B6	
DWG. NO.: FILLHOSE 5CNG/520N	SCALE: NONE	918 665-2641 FAX: 918 665-2657	
	SHEET NO. 01	REV. 2	

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses on D/S 22101340 EMWG material and/or manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Kendall
TITLE: Assembly
DATE: 12-7-22

Tulsa Gas Technologies, Inc.
 4809 S. 101st. E. Ave.
 Tulsa, OK 74146
 918-665-2641

Disp. Serial # 22101340
 Customer Name EMWG
 Customer PO N/A
 Date Required 12/7/2022

ASSEMBLY/CERTIFICATION SHEET

		SIGN	DATE
1	<input checked="" type="checkbox"/> Review shop work order versus customer print and history	<u>CH</u>	<u>12/7/2022</u>
2	<input checked="" type="checkbox"/> Component part numbers: <u>5219214457</u> Pack dates and/or QC codes <u>W/OEMWG042722</u>	<u>CH</u>	<u>12/7/2022</u>
3	<input checked="" type="checkbox"/> ID band number <u>6CNG6/520N4-050 1/0106/8/24-96"</u>	<u>CH</u>	<u>12/7/2022</u>
4	<input checked="" type="checkbox"/> Hose Cut Length <u>96"</u>	<u>CH</u>	<u>12/7/2022</u>
5	<input type="checkbox"/> Pre-expansion of hose (if required) Size _____ Remarks: _____		
6	<input checked="" type="checkbox"/> Audit and mark appropriate insertion depth	<u>CH</u>	<u>12/7/2022</u>
7	<input type="checkbox"/> Add special accessories _____ Remarks: _____		
8	<input checked="" type="checkbox"/> Apply danger tag and ID band		
9	<input checked="" type="checkbox"/> Install bend restrictors Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
10	<input checked="" type="checkbox"/> Assemble fittings; check insertion depth Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
11	<input type="checkbox"/> Set offset angle and/or orientation Remarks: _____		
12	<input checked="" type="checkbox"/> Perform crimp or swage on product/crimp set die-using Parker Catalog 4660, page K58 _____ 1/2) 80C-PO8H _____ 3/8) 80C-PO6H _____ 1/4) 80C-PO4H _____ 1/2) 80C-PO2 <input checked="" type="checkbox"/> 3/8) 80C-PO6 _____ 3/4) 80C-P12H	<u>CH</u>	<u>12/7/2022</u>
13	<input type="checkbox"/> Add special accessories after crimping/swaging		
14	<input type="checkbox"/> Perform and record burst test results, if applicable Remarks: _____		
15	<input type="checkbox"/> Air test, if applicable Test pressure Psi _____ Seconds _____; Pass/Fail (Circle One) Remarks: _____	<u>CH</u>	<u>12/7/2022</u>
16	<input checked="" type="checkbox"/> Hydrostatic proof test Test pressure Psi <u>10,000</u> Seconds <u>30</u> ; <u>Pass</u> Fail (Circle One) Remarks: <u>Passed Pressure Test</u>	<u>CH</u>	<u>12/7/2022</u>
17	<input checked="" type="checkbox"/> Flush method water, and then air	<u>CH</u>	<u>12/7/2022</u>
18	<input checked="" type="checkbox"/> Perform and record conductivity test; Meter <u>Megger Mit200</u> Hose resistance _____ (-) Electrode resistance <u>0.03</u> 0.03	<u>CH</u>	<u>12/7/2022</u>
19	<input checked="" type="checkbox"/> Final audit: Check boxes for items inspected, as applicable: <input checked="" type="checkbox"/> Correct hose; <input checked="" type="checkbox"/> Correct fittings; <input checked="" type="checkbox"/> Correct customer PN Check swage or crimp diameters: _____ 5CNG-4-55 .580+-.05 _____ 5CNG-4-58 .785/.805 _____ 5CNG-8-58 .900/.920 <input checked="" type="checkbox"/> 5CNG-6-55 .675/.695 \ _____ 5CNG-12-58 1.20/1.22	<u>CH</u>	<u>12/7/2022</u>
*****100% VISUAL INSPECT FOR THE FOLLOWING*****			
	<input checked="" type="checkbox"/> Hose fittings crimped; <input checked="" type="checkbox"/> Air passes through assembly;	<u>CH</u>	<u>12/7/2022</u>
	<input checked="" type="checkbox"/> Presence of threads	<u>CH</u>	<u>12/7/2022</u>
	<input checked="" type="checkbox"/> Cap and package hose	<u>CH</u>	<u>12/7/2022</u>
20	<input checked="" type="checkbox"/> Certificate of Conformance for Materials Shipped (on back)	<u>CH</u>	<u>12/7/2022</u>

2) 3 way valve 5 ft long


- 3**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 12 3/4" |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 7**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 12 3/4" |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 1**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 12 3/4" |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 8**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 4 1/4" |
| 02 NPT FEMALE | 6 3/8" |
| 03 JIC MALE | 8 1/2" |
| 04 SAE 45 MALE | 12 3/4" |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

BREAK-AWAY OR DISPENSER END



2419911
 11 FILL HOSE LENGTH
 916 11"

- 5**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 9**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 2**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 6**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

- 10**
- | | |
|-------------------------------|---------------------|
| FITTING TYPE | 55 SERIES HOSE SIZE |
| 01 NPT MALE | 2 1/8" |
| 02 NPT FEMALE | 4 1/4" |
| 03 JIC MALE | 6 3/8" |
| 04 SAE 45 MALE | |
| 05 SAE O-RING STRAIGHT THREAD | |
| 06 JIC FEMALE SWIVEL | |
| 07 FEMALE PIPE SWIVEL | |

S/N- 22101340

WORK ORDER # EMWG 042722

5CNG 6/520N 4-05 01/01 06-6 4/24-96 1 2 3 4 5 6 7 8 9 10 11

FILL HOSE	
DATE	01/09/03
DESIGNED BY	C. SHWELL
DRAWN BY	C.R.S.
CHECKED BY	
DWG. NO.	FILLHOSE 5CNG520N
SCALE	NONE
SHEET NO.	OF
REV.	2

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses on D/S 22101340 EMWG material and/or manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C. R. Rendall
TITLE: Assembly
DATE: 12-7-22

3

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

1

- 55 SERIES HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"


4

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END



5 & 9

3 & 7

1 FILL

2 VENT

6 & 10

4 & 8

5

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

2

- 55 SERIES HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

6

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

STANDARD 3" SHEREX 5/8" } 0

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

S/N- 22101340

WORK ORDER # E M W G 0 4 2 7 2 2

1 2 3 4 5 6 7 8 9 10 11

5CNG 6/520N 21-0506/0106-68/24-24

FILL HOSE	
DATE	010803
DESIGNED BY	C. SEWELL
DRAWN BY	C.R.S.
DWG. NO.	FILLHOSE 5CNG/520N
SCALE	NONE
SHEET NO.	01
REV.	2