

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # Tr12042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: e. R. Kendall
TITLE: Assembly
DATE: 6-15-23

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

58 SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8


FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8"
SHEREX CT5000 use 3/8" VENT ONLY

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

55 SERIES HOSE SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042523

1 2 3 4 5 6 7 8 9 10 11
 5CNG 12/5CNG 6-0606/0506-1212/66-36

FILL HOSE


TULSA GAS TECHNOLOGIES, INC.
 10117 EAST 48TH STREET
 TULSA, OK 74146
 918-665-2641 FAX: 918-665-2857
 DATE: 03/27/87
 DESIGNED BY: C. SEWELL
 DRAWN BY: C.R.S.
 CHECKED BY:
 SCALE: NONE
 DWG. NO. FILLHOSE 5CNG 5CNG SHEET NO. OF REV. 1

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C.R. Kendall
TITLE: Assembly
DATE: 6-15-23

- 3** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 4** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 7** FITTING SIZE
4 1/4"
6 3/8"
8 1/2"
10 5/8"
12 3/4"
- 1** 58 SERIES HOSE SIZE
4 1/4"
6 3/8"
8 1/2"
12 3/4"
- 8** FITTING SIZE
4 1/4"
6 3/8"
8 1/2"
12 3/4"



SHEREX CT1000 use 1/4" VENT ONLY 5/8"
SHEREX CT5000 use 3/8" VENT ONLY 5/8"

- 5** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 6** FITTING TYPE
01 NPT MALE
02 NPT FEMALE
03 JIC MALE
04 SAE 45 MALE
05 SAE O-RING STRAIGHT THREAD
06 JIC FEMALE SWIVEL
07 FEMALE PIPE SWIVEL
- 9** FITTING SIZE
2 1/8"
4 1/4"
6 3/8"
- 2** 55 SERIES HOSE SIZE
2 1/8"
4 1/4"
6 3/8"
- 10** FITTING SIZE
2 1/8"
4 1/4"
6 3/8"

WORK ORDER # TC11042523
1 5CNG 12/5CNG 6 - 0606 / 0506 - 1212 / 66 - 12
 2 3 4 5 6 7 8 9 10 11

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TR16042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C.R. Kendall
TITLE: Assembly
DATE: 6-15-23

3

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

- 58 SERIES HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL


8

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8" SHEREX CT5000 use 3/8" VENT ONLY

5

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

2

- 55 SERIES HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

6

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042523

5CNG 12/5CNG 6-0606 / 0506 - 1212 / 66-36 1 2 3 4 5 6 7 8 9 10 11

FILL HOSE

TULSA GAS TECHNOLOGIES, INC.
 10117 EAST 48TH STREET
 TULSA, OK 74146
 918-665-2641 FAX: 918-665-2657
 DATE: 03/27/97
 DESIGNED BY: C. SEWELL
 DRAWN BY: C.R.S.
 CHECKED BY:
 SCALE: NONE
 DWG. NO. FILLHOSE 5CNG 5CNG SHEET NO. OF REV. 1

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.


SIGNED BY: e.R. Renobler
TITLE: Assembly
DATE: 6-15-23

CERTIFICATE OF CONFORMANCE
FOR
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL 042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: c.R. Kendall
TITLE: Assembly
DATE: 6-15-23

- 3** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 7** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 10 5/8"
 12 3/4"
- 4** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 8** FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"



- 5** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 9** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"
- 2** 55 SERIES HOSE SIZE
 2 1/8"
 4 1/4"
 6 3/8"
- 6** FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- 10** FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"
- SHEREX CT1000 use 1/4" VENT ONLY 5/8"
 SHEREX CT5000 use 3/8" VENT ONLY 5/8"

WORK ORDER # TR11042523

5CNG 12/5CNG 6 - 0606 / 0506 - 1212 / 66 - 12

- 3**
- FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 10 5/8"
 12 3/4"

- 1**
- 58 SERIES
 HOSE SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"

- 4**
- FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"


- 8**
- FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- FITTING SIZE
 4 1/4"
 6 3/8"
 8 1/2"
 12 3/4"

cut 71"

11 FILL HOSE LENGTH
62

BREAK-AWAY OR
 DISPENSER END

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8"
 SHEREX CT5000 use 3/8" VENT ONLY

5/8

- 5**
- FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"

- 2**
- 55 SERIES
 HOSE SIZE
 2 1/8"
 4 1/4"
 6 3/8"

- 6**
- FITTING TYPE
 01 NPT MALE
 02 NPT FEMALE
 03 JIC MALE
 04 SAE 45 MALE
 05 SAE O-RING STRAIGHT THREAD
 06 JIC FEMALE SWIVEL
 07 FEMALE PIPE SWIVEL
- FITTING SIZE
 2 1/8"
 4 1/4"
 6 3/8"

WORK ORDER # *TC11042523*

1 5CNG *12* / 5CNG *6* - *0606* / *0506* - *1212* / *66* - *12*

| | |
|------------------------|------------------------|
| FILL HOSE | |
| DATE: 03/27/97 | DESIGNED BY: C. SEWELL |
| DRAWN BY: C.R.S. | CHECKED BY: |
| SCALE: NONE | SHEET NO. OF |
| DWG. NO. FILLHOSE 5CNG | REV. 1 |

TULSA GAS TECHNOLOGIES, INC.
 10111 JAY ROBERTS
 TULSA, OK 74140
 918-665-2841 FAX: 918-665-2857

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

58 SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

4

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8


FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8"
SHEREX CT5000 use 3/8" VENT ONLY

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

55 SERIES HOSE SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042533

1 2 3 4 5 6 7 8 9 10 11
 5CNG 12/5CNG 6-0606/0506-1212/66-36

FILL HOSE

TULSA GAS TECHNOLOGIES, INC.
 10111 HENRI
 TULSA, OK 74146
 918-465-2641 FAX: 918-465-2657
 DATE: 03/27/97
 DESIGNED BY: C. SEWELL
 DRAWN BY: C.R.S.
 SCALE: NONE
 DWG. NO. FILLHOSE 5CNG SHEET NO. OF REV. 1