

CERTIFICATE OF CONFORMANCE  
FOR  
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # Tr12042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: e. R. Kendall  
TITLE: Assembly  
DATE: 6-15-23

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

58 SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8


FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8" SHEREX CT5000 use 3/8" VENT ONLY

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

55 SERIES HOSE SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042523

1 2 3 4 5 6 7 8 9 10 11  
 5CNG 12/5CNG 6-0606/0506-1212/66-36

FILL HOSE

TULSA GAS TECHNOLOGIES, INC.  
 10117 EAST 48TH STREET  
 TULSA, OK 74146  
 918-665-2641 FAX: 918-665-2857  
 DATE: 03/27/87  
 DESIGNED BY: C. SEWELL  
 DRAWN BY: C.R.S.  
 SCALE: NONE  
 DWG. NO. FILLHOSE 5CNG SHEET NO. OF REV. 1

CERTIFICATE OF CONFORMANCE  
FOR  
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C.R. Kendall  
TITLE: Assembly  
DATE: 6-15-23

- 3**
- |                               |              |
|-------------------------------|--------------|
| FITTING TYPE                  | FITTING SIZE |
| 01 NPT MALE                   | 4 1/4"       |
| 02 NPT FEMALE                 | 6 3/8"       |
| 03 JIC MALE                   | 8 1/2"       |
| 04 SAE 45 MALE                | 10 5/8"      |
| 05 SAE O-RING STRAIGHT THREAD | 12 3/4"      |
| 06 JIC FEMALE SWIVEL          |              |
| 07 FEMALE PIPE SWIVEL         |              |

- 1**
- |                     |
|---------------------|
| 58 SERIES HOSE SIZE |
| 4 1/4"              |
| 6 3/8"              |
| 8 1/2"              |
| 12 3/4"             |

- 4**
- |                               |              |
|-------------------------------|--------------|
| FITTING TYPE                  | FITTING SIZE |
| 01 NPT MALE                   | 4 1/4"       |
| 02 NPT FEMALE                 | 6 3/8"       |
| 03 JIC MALE                   | 8 1/2"       |
| 04 SAE 45 MALE                | 12 3/4"      |
| 05 SAE O-RING STRAIGHT THREAD |              |
| 06 JIC FEMALE SWIVEL          |              |
| 07 FEMALE PIPE SWIVEL         |              |


- 8**
- |                |              |
|----------------|--------------|
| FITTING TYPE   | FITTING SIZE |
| 01 NPT MALE    | 4 1/4"       |
| 02 NPT FEMALE  | 6 3/8"       |
| 03 JIC MALE    | 8 1/2"       |
| 04 SAE 45 MALE | 12 3/4"      |

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH

FILL END

*cut 71"*  
*62*



SHEREX CT1000 use 1/4" VENT ONLY 5/8"  
SHEREX CT5000 use 3/8" VENT ONLY

- 5**
- |                               |              |
|-------------------------------|--------------|
| FITTING TYPE                  | FITTING SIZE |
| 01 NPT MALE                   | 2 1/8"       |
| 02 NPT FEMALE                 | 4 1/4"       |
| 03 JIC MALE                   | 6 3/8"       |
| 04 SAE 45 MALE                |              |
| 05 SAE O-RING STRAIGHT THREAD |              |
| 06 JIC FEMALE SWIVEL          |              |
| 07 FEMALE PIPE SWIVEL         |              |

- 2**
- |                     |
|---------------------|
| 55 SERIES HOSE SIZE |
| 2 1/8"              |
| 4 1/4"              |
| 6 3/8"              |

- 6**
- |                               |              |
|-------------------------------|--------------|
| FITTING TYPE                  | FITTING SIZE |
| 01 NPT MALE                   | 2 1/8"       |
| 02 NPT FEMALE                 | 4 1/4"       |
| 03 JIC MALE                   | 6 3/8"       |
| 04 SAE 45 MALE                |              |
| 05 SAE O-RING STRAIGHT THREAD |              |
| 06 JIC FEMALE SWIVEL          |              |
| 07 FEMALE PIPE SWIVEL         |              |

WORK ORDER # *TC11042523*

5CNG *12/5CNG* *0606* *0506* *1212* *166* *12*

CERTIFICATE OF CONFORMANCE  
FOR  
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TR16042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: C.R. Kendall  
TITLE: Assembly  
DATE: 6-15-23

3

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

- 58 SERIES HOSE SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL


8

- FITTING SIZE
- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



5

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

2

- 55 SERIES HOSE SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

6

- FITTING TYPE
- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

- FITTING SIZE
- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042523

5CNG 12/5CNG 6-0606 / 0506 - 1212 / 66-36

11

10

9

8

7

6

5

4

3

2

1

1

1

1

1

1

1



CERTIFICATE OF CONFORMANCE  
FOR  
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: e.R. Renobler  
TITLE: Assembly  
DATE: 6-15-23


CERTIFICATE OF CONFORMANCE  
FOR  
MATERIALS SHIPPED

Tulsa Gas Technologies, Inc. (TGT) hereby certifies that all materials in the manufacture of hoses for W/O # TRIL 042523 conform to the manufacturing specifications indicated in drawings, bulletins or specifications as called for on the said purchase order. Test reports are on file with us or with our suppliers for examination and indicate conformance with applicable specification requirements. In production items listed, no direct contact was made with mercury, any of its compounds or with any mercury containing devices employing a single boundary for containment. Tulsa Gas Technologies, Inc. also certifies that the parts listed and shipped on the date indicated are manufactured in accordance with Parker specifications and quality standards, if applicable, as stated on the drawings or specifications called for on said purchase order. All parts and test conform to AGA I-93.

SIGNED BY: c.R. Kendall  
TITLE: Assembly  
DATE: 6-15-23



- 3** FITTING TYPE  
 01 NPT MALE  
 02 NPT FEMALE  
 03 JIC MALE  
 04 SAE 45 MALE  
 05 SAE O-RING STRAIGHT THREAD  
 06 JIC FEMALE SWIVEL  
 07 FEMALE PIPE SWIVEL
- 7** FITTING SIZE  
 4 1/4"  
 6 3/8"  
 8 1/2"  
 10 5/8"  
 12 3/4"
- 4** FITTING TYPE  
 01 NPT MALE  
 02 NPT FEMALE  
 03 JIC MALE  
 04 SAE 45 MALE  
 05 SAE O-RING STRAIGHT THREAD  
 06 JIC FEMALE SWIVEL  
 07 FEMALE PIPE SWIVEL
- 8** FITTING SIZE  
 4 1/4"  
 6 3/8"  
 8 1/2"  
 12 3/4"



- 5** FITTING TYPE  
 01 NPT MALE  
 02 NPT FEMALE  
 03 JIC MALE  
 04 SAE 45 MALE  
 05 SAE O-RING STRAIGHT THREAD  
 06 JIC FEMALE SWIVEL  
 07 FEMALE PIPE SWIVEL
- 9** FITTING SIZE  
 2 1/8"  
 4 1/4"  
 6 3/8"
- 2** 55 SERIES HOSE SIZE  
 2 1/8"  
 4 1/4"  
 6 3/8"
- 6** FITTING TYPE  
 01 NPT MALE  
 02 NPT FEMALE  
 03 JIC MALE  
 04 SAE 45 MALE  
 05 SAE O-RING STRAIGHT THREAD  
 06 JIC FEMALE SWIVEL  
 07 FEMALE PIPE SWIVEL
- 10** FITTING SIZE  
 2 1/8"  
 4 1/4"  
 6 3/8"
- SHEREX CT1000 use 1/4" VENT ONLY 5/8"  
 SHEREX CT5000 use 3/8" VENT ONLY

WORK ORDER # TR11042523

5CNG 12/5CNG 6 - 0606 / 0506 - 1212 / 66 - 12

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

58 SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

4

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8


FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8"  
SHEREX CT5000 use 3/8" VENT ONLY

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

55 SERIES HOSE SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TC11042523

1 2 3 4 5 6 7 8 9 10 11  
 5CNG12/5CNG6-0606/0506-1212/66-12

FILL HOSE	
DATE: 03/27/97	DESIGNED BY: C. SEWELL
DRAWN BY: C.R.S.	CHECKED BY:
DWG. NO. FILLHOSE 5CNG	SCALE: NONE
SHEET NO. OF	REV. 1

TULSA GAS TECHNOLOGIES, INC.  
 101 W. JACKSON STREET  
 TULSA, OK 74140  
 918-665-2841 FAX: 918-665-2857

3

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

7

FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

1

58 SERIES HOSE SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 10 5/8"
- 12 3/4"

4

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

8


FITTING SIZE

- 4 1/4"
- 6 3/8"
- 8 1/2"
- 12 3/4"

BREAK-AWAY OR DISPENSER END

11 FILL HOSE LENGTH 36"

FILL END



SHEREX CT1000 use 1/4" VENT ONLY 5/8" SHEREX CT5000 use 3/8" VENT ONLY

5

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

9

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

2

55 SERIES HOSE SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

6

FITTING TYPE

- 01 NPT MALE
- 02 NPT FEMALE
- 03 JIC MALE
- 04 SAE 45 MALE
- 05 SAE O-RING STRAIGHT THREAD
- 06 JIC FEMALE SWIVEL
- 07 FEMALE PIPE SWIVEL

10

FITTING SIZE

- 2 1/8"
- 4 1/4"
- 6 3/8"

WORK ORDER # TR/L042533

1 2 3 4 5 6 7 8 9 10 11  
 5CNG 12/5CNG 6 - 0606 / 0506 - 1212 / 66 - 36

TULSA GAS TECHNOLOGIES, INC. 10111 HENRI TULSA, OK 74146	
918-665-2641 FAX: 918-665-2657	
DATE: 03/27/97	CHECKED BY: C. SEWELL
DESIGNED BY: C. SEWELL	DRAWN BY: C. R. S.
SCALE: NONE	SHEET NO. OF 1
DWG. NO. FILLHOSE 5CNG	

FILL HOSE